

Товарна група	Виробник	Номинал виробника	Кіл-ть	Ціна/шт ~N	Ціна/шт N~	Примітка
Amplifier	ADI	AD8310ARM	6	8,00	7,5000	IC LOGARITHMIC AMP 95DB 8-MSOP
Amplifier	SIR	CGA-6618Z	1	9,00	6,8000	DUAL CATV BROADBAND HIGH LIN GAAS HBT AMPLIF
Amplifier	UMS	CHA2093-99F/00	14	58,00	54,0000	20-30GHz Low Noise Amplifier
Amplifier	UMS	CHA2094B-99F/00	14	58,00	54,0000	36-40GHz Low Noise High Gain Amplifier
Amplifier	CMD	CMD171P4	10	81,55	81,5500	9.5-11 GHz (X Band) Driver Amplifier MMIC
Amplifier	FUJ	FMM5010VF	2	70,00	70,0000	14.0~14.5GHz INTERNALLY MATCHED GaAs MMIC Power Amplifier
Amplifier	FUJ	FMM5017VF	2	90,00	90,0000	14.0~14.5GHz INTERNALLY MATCHED GaAs MMIC Amplifier
Amplifier	EDN	FMM5702X	5	76,00	76,0000	27 - 32 GHz NF1,6dB; Gain=13dB; Imp Matched=50Ω; LNA MMIC, DIE
Amplifier	MIN	GALI-39+	3	2,50	2,0500	DC - 7000 MHz Monolithic InGaP HBT MMIC Amplifier
Amplifier	HTT	HMC374E	10	6,00	5,5200	0.3 - 3.0 GHz; Low Noise Amplifier SMT
Amplifier	HTT	HMC441LP3	10	31,08	29,4000	6.5 - 13.5 GHz MEDIUM POWER AMP
Amplifier	HTT	HMC457QS16G	89	17,60	17,4000	1.7 - 2.2 GHz; 1 W HIGH GAIN POWER AMP
Amplifier	HTT	HMC465LP5	8	349,65	330,2250	DC - 20 GHz; Wideband Driver Amplifier SMT
Amplifier	HTT	HMC590LP5	4	100,00	100,0000	6.0 - 9.5 GHz; 1 Watt Power Amplifier SMT
Amplifier	M/A-COM	MAAPGM0034-DIE	2	118,00	118,0000	0.5 W; X-BAND AMPLIFIER
Amplifier	AGI	MGA-85563-BLK	30	3,10	2,5800	0.8-6 GHz Low Noise GaAs RFIC Amplifier 3V SOT-363
Amplifier	AGI	MSA-0886-BLK	1	1,50	1,5000	Cascadable Silicon Bipolar MMIC Amplifier SMD-86
Amplifier	MIN	PHA-1+	4	3,50	3,4000	0,05-6 GHz Monolithic E-PHEMT MMIC Amplifier SOT-89, 50 Ω
Amplifier	MIN	PSA-0012+	8	3,50	3,1500	0,05-6 GHz Monolithic Low Noise E-PHEMT MMIC Amplifier
Amplifier	MIT	RA07M1317M-101	3	27,80	27,8000	135-175MHz 6.5W 7.2V 2-Stage Amp. for PORTABLE RADIO
Amplifier	RFMD	RF2312	15	8,00	8,0000	LIN CATV AMP DC-2500 MHz G15dB NF3.8dB OP+20dBm
Amplifier	SKW	SE5004L-R	2	3,50	3,5000	IC PWR AMP 5GHZ 20QFN
Amplifier	SIR	SGA-2163Z	100	0,74	0,6100	DC-5000 MHz SI-GE HBT CASCADABLE GB
Amplifier	SIR	SGA-2363Z	67	0,61	0,5100	DC-5000 MHz SI-GE HBT CASCADABLE GB
Amplifier	SIR	SGA-2386	10	1,56	1,2800	DC-5000 MHz SI-GE HBT CASCADABLE GB
Amplifier	SIR	SGA-2486	8	1,64	1,3500	DC-5000 MHz SI-GE HBT CASCADABLE GB
Amplifier	SIR	SGA-3363	15	1,27	1,0400	DC-5000 MHz SI-GE HBT CASCADABLE GB
Amplifier	SIR	SGA-4186Z	20	1,75	1,4300	DC-5000 MHz SI-GE HBT CASCADABLE GB
Amplifier	SIR	SGA-4586Z	12	2,46	2,0200	DC-4000 MHz SI-GE HBT CASCADABLE GB
Amplifier	SIR	SGA-5286	25	2,36	1,9300	DC-5000 MHz SI-GE HBT CASCADABLE GB
Amplifier	SIR	SGA-5386	115	2,46	2,0200	DC-4500 MHz SI-GE HBT CASCADABLE GB
Amplifier	SIR	SGA-5486	135	2,70	2,2100	DC-4000 MHz SI-GE HBT CASCADABLE GB
Amplifier	SIR	SGA-6486Z	40	2,46	2,2140	DC-3500 MHz SI-GE HBT CASCADABLE GB
Amplifier	SIR	SGA-8343	109	0,53	0,4300	DC-6000 MHz SI-GE TRANSISTOR
Amplifier	SIR	SGA-9189	8	1,96	1,7640	DC-3500 MHz SI-GE HBT AMPLIFIER
Amplifier	SIR	SGB-2233	10	1,00	0,8600	DC-4500 MHz SI-GE ACTIVE BIAS GB
Amplifier	SIR	SGB-2433	15	1,00	0,8600	DC-4000 MHz SI-GE HBT MMIC GB
Amplifier	SIR	SGL-0163	31	1,00	0,9000	300 - 1300 MHz SI-GE CASCAD LOW NOISE AMPLIFIER
Amplifier	SIR	SGL-0263Z	10	1,10	1,0000	1400-2500 MHz SI-GE CASCAD LOW NOISE AMPLIFIER
Amplifier	RFMD	SGL-0622Z	50	3,00	2,7000	5-4000 MHz SI-GE LOW NOISE MMIC AMPLIFIER
Amplifier	SIR	SLM-20TY	35	12,00	10,9000	1.7-2GHz P1 17.7dBm Gain 15.1dB NF 0.9 dB pHEMT LNA
Amplifier	SIR	SPA-1118	5	22,53	18,4500	850 MHz 1 Watt Power Amp with Active Bias
Amplifier	SIR	SPA-2318	5	25,18	20,6200	1700-2200 MHz 1 Watt Power Amp with Active Bias
Amplifier OP	INT	HA3-4741-5	25	2,50	2,0000	OPAMP 4X 3.5MHZ 14PDIP COM
Amplifier OP	MCH	MCP6142-I/MS	5	1,20	1,0800	Amplifiers - Operational MSOP-8

Amplifier OP	STM	TL062ID	54	0,90	0,5600	DUAL JFET OPAMP
Amplifier OP	TI	TL062ID	44	0,90	0,5600	DUAL LOW POWER BIFET OP AMPS
Amplifier OP	STM	TL064ID	93	0,94	0,8800	QUAD JFET OPAMP
Amplifier OP	TI	TL064ID	88	0,31	0,3000	IC QUAD JFET-IN GP OP AMP 14-SOI
Attenuator	HTT	HMC274QS16	24	7,62	5,0800	5-BIT DIGITAL ATTENUATOR, 0.7 - 2.7 GHz
Attenuator	HTT	HMC307QS16G	5	7,65	6,9000	1dB LSB GaAs MMIC 5-BIT DIG ATTEN, DC - 4 GHz
Attenuator	HTT	HMC346LP3	6	23,20	21,9000	GaAs MMIC VOL-VARIABLE ATT, DC-14GHz
Attenuator	HTT	HMC346MS8G	78	5,40	5,2000	GaAs MMIC SMT VOL-VARIABLE ATT, DC-8GHz
Attenuator	HTT	HMC468LP3	10	6,18	4,9400	1dB LSB 3-Bit Digital Attenuator SMT, DC-6 GHz
Attenuator	HTT	HMC539LP3	10	8,80	8,4000	0.25dB LSB 5-Bit Digital Attenuator SMT, DC - 4 GHz
Attenuator	MIN	PAT-20+	5	5,00	5,0000	DC-7000 MHz 1W 20dB FIX ATT, 50 Ω
Cable Coaxial	JYE	.047AL-C-L-50	0	35,00	35,0000	SR 50Ω 40GHz 1,02dB/m@1GHz 88W -55+200C Ø1,19mm
Cable Coaxial	KNS	KTG-047-50 SCCS	0	10,00	10,0000	SR 50Ω 20GHz 1,13dB/m@1GHz 47,4W -55+125C Ø1,19mm
Cable Coaxial	YET	RG-174	961	0,90	0,7000	RG 50Ω 1GHz 1,18dB/m@1GHz -40+85C Ø2,75mm RG174
Cable Coaxial	YET	RG-316/DS (Brown)	465	3,50	3,0000	RG 50Ω 12,4GHz 1,31dB/m@1GHz -40+165C Ø3,05mm RG316 D/Shield
Cable Coaxial	YET	RG-316/S (Brown)	477	2,60	2,2000	RG 50Ω 3GHz 0,87dB/m@1GHz -40+165C Ø2,48mm RG316 S/Shield
Cable Coaxial	YET	YEMF-085/50	166	6,00	5,7000	MF 50Ω 18GHz 0,72dB/m@1GHz -55+165C Ø2,68mm Harbour SS405-type
Cable Coaxial	YET	YEMF-141/50	537	9,40	8,9000	MF 50Ω 20GHz 0,37dB/m@1GHz -55+165C Ø4,15mm Harbour SS402-type
Cable Coaxial	YET	YESF-047	485	4,90	4,4000	SF 50Ω 20GHz 1,30dB/m@1GHz 11,9W -40+125C Ø1,19mm
Cable Coaxial	YET	YESF-085/50	397	5,40	5,0000	SF 50Ω 20GHz 0,72dB/m@1GHz 25,2W -40+125C Ø2,18mm RG405-type
Cable Coaxial	YET	YESF-085/50-FJ-BLU (Blue)	134	6,20	5,7000	SF 50Ω 20GHz 0,72dB/m@1GHz 25,2W -40+125C Ø2,78mm RG405-type
Cable Coaxial	YET	YESF-141/50	376	6,20	5,8000	SF 50Ω 20GHz 0,39dB/m@1GHz 450W -40+125C Ø3,56mm RG402-type
Cable Coaxial	YET	YET-047-TP	180	6,00	5,6000	SR 50Ω 20GHz 1,09dB/m@1GHz 47W -40+125C Ø1,19mm
Cable Coaxial	YET	YET-085/50-TP	481	6,00	5,6000	SR 50Ω 20GHz 0,72dB/m@1GHz 130W -40+125C Ø2,20mm
Cable Coaxial	YET	YET-141/50-TP (~ EZ_141_TP_M17)	146	6,90	6,2000	SR 50Ω 20GHz 0,39dB/m@1GHz 450W -40+125C Ø3,58mm
Cable Interface	DLH	12143693	15	35,00	35,0000	Cable Assembly 2440mm with 16-pin Male OBDII Connector
Cable Wire	n/a	БПВЛЭ-0.35	20	0,50	0,5000	Провод авиационный, 1992, ТУ 16-505.911-76
Capacitor Aluminum	PNS	EEV-FK1C332M	4	2,00	2,0000	Cap Aluminum Lytic 3300uF 16V 20% 2000h 105°C Automotive
Capacitor Aluminum	PNS	EEV-FK1V152M	4	2,00	2,0000	Cap Aluminum Lytic 1500uF 35V 20% 2000h 105°C Automotive
Capacitor Ceramic	ATC	100A101JW150X	19	0,90	0,9000	0505 L1,4xW1,4xT1,45 100pF ±5% 150V High Q
Capacitor Ceramic	ATC	500S2R2DS100XT	438	1,00	0,9500	0603 NP0 L1,52xW0,762xT0,609 2,2pF ±0,5pF 100V Low Insertion Loss
Capacitor Ceramic	MUR	GJM1555C1H100FB01D	5	0,12	0,1200	Cap Ceramic 10pF 50V C0G 1% SMD 0402 125°C
Capacitor Ceramic	MUR	GJM1555C1HR50BB01D	5	0,10	0,1000	Cap Ceramic 0.5pF 50V C0G 0.1pF SMD 0402 125°C
Capacitor Ceramic	MUR	GRM2195C1H512JA01D	100	0,16	0,1600	Cap Ceramic 0.0051uF 50V C0G 5% SMD 0805 125°C
Capacitor Ceramic	MUR	GRM21BF51C225ZA01L	20	0,15	0,1500	Cap Ceramic 2.2uF 16V Y5V -20% to 80% SMD 0805 85°C
Choke RF	MIN	TCCH-80+	7	5,00	5,0000	50-8200 MHz, Wideband RF Choke, 50 Ω
Comparator	NSC	LM111J-8/883	2	5,00	5,0000	HIGH PERF VOLT COMP 8-PIN DIP
Comparator	TI	LM2901D	34	0,50	0,2500	QUADRUPLE DIFFERENTIAL COMPARATORS/LIN.
Comparator	NSC	LM2901M	19	0,50	0,2500	QUAD COMPARATOR
Comparator	NSC	LM339M	43	0,50	0,2000	QUAD COMPARATOR, SO14
Comparator	ONS	LM393N	5	0,50	0,1300	ANA LO VOLT.COMP'TOR DUAL
Comparator	NSC	LMV7239M7	5	2,60	2,3200	IC COMPARATOR R-R INPUT SC-70-5
Connector	JST	12FDZ-ST	50	3,00	2,5000	2,54 FDZ connector, 12-PIN AC/DC 250V
Connector	HIR	DF13-4P-1.25DSA	5	0,80	0,6000	CONN HEADER 4POS 1.25MM STR TIN
Connector	HIR	DF9B-41P-1V(32)	38	3,80	2,5500	CONN HEADER 41POS 1MM SMD TIN
Connector	ETEC	FCZ-032-R125-00	490	1,25	1,1400	32W ZIF FFC/FPC Connector, 1.22mm pitch, Right Angle
Connector	HIR	FX8-60S-SV(21)	5	5,50	4,3000	CONN RECEPT 60POS .6MM GOLD SMD
Connector	ETEC	LOC-632-T051-00	149	0,05	0,0500	Панелька DIP 32-pin

Connector	n/a	TAI-1.25FI	35	0,10	0,1000	Клемма нож.авто(м) 6,3мм.пров.0,25-1,5мм.пол.изол
Connector	n/a	РП10-22	1	1,00	1,0000	СОЕДИНИТЕЛЬ
Connector	n/a	РПП72Г1 Т3 (0281)	19	1,00	1,0000	СОЕДИНИТЕЛЬ
Connector	n/a	РПП72Г1-2 Т3 (0280)	10	1,00	1,0000	СОЕДИНИТЕЛЬ
Connector	n/a	УЗНП8-32ВП120-В (0602)	1	3,00	3,0000	СОЕДИНИТЕЛЬ вилка (РП15 взаимосочленяемая)
Connector	n/a	УСНП111-96 ВП31-В (0410)	1	15,00	15,0000	СОЕДИНИТЕЛЬ вилка
Connector	n/a	УСНП111-96 РП21-В (0410)	1	25,00	25,0000	СОЕДИНИТЕЛЬ розетка
Connector 2.92	GGL	PKF-S00-000 (for bead TL-522)	0	30,00	30,0000	2.92 panel jack flanged X2; pitch 12,2mm; accept pin 0,30 DC-40GHz 50 Ω
Connector Adapter	AMPH	132168	2	10,00	10,0000	straight adapter SMA-plug <=> SMA-plug DC-18GHz 50 Ω
Connector Adapter	n/a	BNC-T F-M-F	3	2,50	2,0000	BNC T-adapter jack <=> plug <=> jack
Connector Adapter	YET	C330-079D (~WT10D3.640.669)	2	10,00	9,0000	straight adapter SMA-jack <=> SMA-jack
Connector Adapter	YET	C330-080D	20	10,00	8,0000	straight adapter SMA-plug <=> SMA-plug
Connector Adapter	YET	C330-081	16	12,00	10,0000	straight adapter SMA-jack <=> SMA-plug
Connector Adapter	YET	C340-023-01 (SMB-JJY)	73	8,00	7,0000	straight adapter SMB-bulkhead jack <=> SMB-jack
Connector Adapter	YET	C380-047 (~WT17D3.640.465)	0	12,00	10,0000	straight adapter flanged X4 N-jack <=> N-jack
Connector Adapter	YET	C410-018J-4H (~KAD178082)	0	14,00	13,7500	straight adapter flanged X4 SMA-jack <=> N-jack
Connector Adapter	YET	C410-018J-4H (METRIC)	72	14,00	13,7500	straight adapter flanged X4 SMA-jack metric <=> N-jack metric
Connector Adapter	YET	C410-019	7	12,00	10,0000	straight adapter SMA-plug <=> N-jack
Connector Adapter	KNN	KAD178082 (~ C410-018J-4H)	25	14,00	13,7500	straight adapter flanged X4 SMA-jack <=> N-jack DC-9GHz 50 Ω
Connector Adapter	HST	N-07-TGN	4	7,50	5,5000	straight adapter N-plug <=> N-plug
Connector Adapter	HST	N-08-TGN (~WT17D3.640.437)	0	7,00	5,0000	straight adapter N-jack <=> N-jack
Connector Adapter	HST	N-13-TGN	5	7,50	5,5000	straight adapter N-plug <=> BNC-jack
Connector Adapter	NST	NSTF-40	5	3,00	3,0000	right angle F-jack <=> PAL-plug (FME?)
Connector Adapter	HST	SMA-32-TGG	10	4,00	3,5000	right angle adapter SMA-plug <=> SMA-plug
Connector Adapter	n/a	SMA-T F-F-F	3	6,00	5,5000	SMA T-adapter jack <=> jack <=> jack
Connector Adapter	n/a	SMA-T F-M-F	1	6,00	5,5000	SMA T-adapter jack <=> plug <=> jack
Connector Adapter	HST	TNC-12-DGN	5	3,00	2,5000	straight adapter TNC-jack <=> TNC-jack
Connector Assembly	DLH	12110252	10	3,60	3,6000	16-pin Male 150 SERIES OBDII, Red
Connector Assembly	DLH	12047581-L	80	0,42	0,4200	MALE 150 SERIES TIN CBL RNG 2.40-1.84MM (OBDII pin)
Connector Assembly	DLH	12059894-L	80	0,36	0,3600	MALE 150 SERIES TIN CBL RANG 2.4-1.70MM (OBDII pin)
Connector Backshell	GLN	440HS030NF1706-3	5	120,00	120,0000	Circular MIL Spec Backshell BND/SHRKN BOOT ADPTR RC STRAIGHT
Connector BNC	YET	C360-001	5	2,50	2,0000	BNC straight plug; пайка 0,085" (RG-405-M17/133) DC-10GHz 50 Ω
Connector Coaxial	n/a	CP50-724ФВ	28	3,70	3,5000	CP-50 вилка кабельная, прижимной; PK-50; DC-18GHz; 50 Ω; 1989 г.
Connector Coaxial	n/a	CP-75-154ФВ (демонтаж)	1	3,00	2,5000	CP75 вилка кабельная, прижимной; PK-75; 75 Ω; 1986 г.
Connector MCX	YET	C320-003	5	2,20	2,2000	MCX right angle plug; пайка 0,047" (M17/151) DC-6GHz 50 Ω
Connector MCX	YET	C320-004	1	2,20	2,2000	MCX right angle plug; пайка 0,085" (RG-405, M17/133) DC-6GHz 50 Ω
Connector MCX	YET	C320-012	121	2,40	2,4000	MCX right angle plug; обжим RG-174-188-316 DC-6GHz 50 Ω
Connector MCX	HST	MCX-05-TGG	25	2,50	2,2200	MCX straight PCB jack; DC-6GHz 50 Ω
Connector MCX	HST	MCX-11-TGG	25	2,50	2,4000	MCX right angle PCB jack; DC-6GHz 50 Ω
Connector MMCX	YET	C310-011	0	3,19	2,7600	MMCX right angle plug; обжим RG-174-188-316 DC-6GHz 50 Ω
Connector MMCX	YET	C310-024D-3.5	51	4,45	3,9500	MMCX right angle PCB jack; DC-6GHz 50 Ω
Connector N-Type	AMPH	172165 (~ C380-028)	4	18,00	16,7000	N bulkhead jack; обжим RG-316D/S DC-11GHz 50 Ω
Connector N-Type	AMPH	172169 (~ C380-007)	0	26,00	24,4000	N panel jack flanged X4; пайка 0,085" (RG-405-M17/133) DC-11GHz 50 Ω
Connector N-Type	YET	C380-001 (~ N-03V1-TGN)	55	6,50	5,6000	N straight plug; пайка 0,085" (RG-405-M17/133) DC-11GHz 50 Ω
Connector N-Type	YET	C380-002 (~ N-03V2-TGN)	0	7,50	7,2000	N straight plug; пайка 0,141" (RG-402-M17/130) DC-11GHz 50 Ω
Connector N-Type	YET	C380-004 (~ N-32V1-TGN)	0	6,50	6,0000	N bulkhead jack; пайка 0,085" (RG-405-M17/130) DC-11GHz 50 Ω
Connector N-Type	YET	C380-005 (~ N-32V2-TGN)	14	6,50	5,6000	N bulkhead jack; пайка 0,141" (RG-402-M17/130) DC-11GHz 50 Ω
Connector N-Type	YET	C380-007 (~ N-06V1-TGN)	0	6,50	5,6000	N panel jack flanged X4; пайка 0,085" (RG-405-M17/133) DC-11GHz 50 Ω

Connector N-Type	YET	C380-008 (~ N-06V2-TGN)	0	6,50	5,6000	N panel jack flanged X4; пайка 0,141" (RG-402-M17/130) DC-11GHz 50 Ω
Connector N-Type	YET	C380-009	70	6,90	6,0000	N straight plug; обжим RG-174-188-316 DC-11GHz 50 Ω
Connector N-Type	YET	C380-011 (~ N-03F-TGN; 172100)	0	6,90	6,0000	N straight plug; обжим RG-400-142-223-58 DC-11GHz 50 Ω
Connector N-Type	YET	C380-012	100	8,90	7,4000	N straight plug; обжим LMR-200, HPF200 DC-11GHz 50 Ω
Connector N-Type	YET	C380-012 M16*P1.0	96	8,90	7,8000	N-metric straight plug; обжим LMR-200, HPF200 DC-11GHz 50 Ω
Connector N-Type	YET	C380-013	100	8,00	7,5000	N straight plug; обжим LMR-400, HPF400 DC-11GHz 50 Ω
Connector N-Type	YET	C380-014 (~ N-01B-TGN приж.)	12	6,50	6,0000	N straight plug; обжим RG-213-214-393 DC-11GHz 50 Ω
Connector N-Type	YET	C380-017-085	47	7,00	6,8000	N right angle plug; пайка 0,085" (RG-405-M17/133) DC-11GHz 50 Ω
Connector N-Type	YET	C380-018	100	8,90	7,8000	N right angle plug; обжим LMR-200, HPF200 DC-11GHz 50 Ω
Connector N-Type	YET	C380-024	100	8,90	7,4000	N straight jack; обжим LMR-200, HPF200 DC-11GHz 50 Ω
Connector N-Type	YET	C380-027	0	7,35	6,1500	N bulkhead jack; обжим RG-174-188-316 DC-11GHz 50 Ω
Connector N-Type	YET	C380-030	100	8,90	7,8000	N bulkhead jack; обжим LMR-200, HPF200 DC-11GHz 50 Ω
Connector N-Type	YET	C380-033	24	7,35	6,1500	N panel jack flanged X4; обжим RG-174-188-316 DC-11GHz 50 Ω
Connector N-Type	YET	C380-035	112	8,90	7,4000	N panel jack flanged X4; обжим RG-400-142-223-58 DC-11GHz 50 Ω
Connector N-Type	YET	C380-041D	7	8,90	7,4000	N panel jack flanged X4; пайка 5+2mm DC-11GHz 50 Ω
Connector N-Type	HST	N-01B-TGN (~ C380-014 обж.)	50	6,50	6,0000	N straight plug; прижим RG-213 DC-11GHz 50 Ω
Connector N-Type	HST	N-01F-TGN-1 (~ C380-011 обж.)	50	5,30	4,8000	N straight plug; прижим RG-58 DC-11GHz 50 Ω
Connector N-Type	HST	N-03F-TGN (~ C380-011; 172100)	46	5,00	4,5000	N straight plug; обжим RG-58 DC-11GHz 50 Ω
Connector N-Type	HST	N-03V1-TGN (~ C380-001)	47	5,00	4,5000	N straight plug; пайка 0,085" (RG-405-M17/133) DC-11GHz 50 Ω
Connector N-Type	HST	N-03V2-TGN (~ C380-002)	42	5,00	4,5000	N straight plug; пайка 0,141" (RG-402-M17/130) DC-11GHz 50 Ω
Connector N-Type	HST	N-06V1-TGN (~ C380-007)	42	5,30	4,8000	N panel jack flanged X4; пайка 0,085" (RG-405-M17/133) DC-11GHz 50 Ω
Connector N-Type	HST	N-06V2-TGN (~ C380-008)	82	5,30	4,8000	N panel jack flanged X4; пайка 0,141" (RG-402-M17/130) DC-11GHz 50 Ω
Connector N-Type	HST	N-18-TGN	3	8,00	7,5000	N right angle panel jack flanged X4; пайка DC-11GHz 50 Ω
Connector N-Type	HST	N-22-TGN	352	4	3,6000	N panel jack flanged X4; пайка 8,8+2,4mm DC-11GHz 50 Ω
Connector N-Type	HST	N-32V1-TGN (~ C380-004)	49	5,00	4,5000	N bulkhead jack; пайка 0,085" (RG-405-M17/130) DC-11GHz 50 Ω
Connector N-Type	HST	N-32V2-TGN (~ C380-005)	50	5,00	4,5000	N bulkhead jack; пайка 0,141" (RG-402-M17/130) DC-11GHz 50 Ω
Connector RCA	n/a	RP-3	1	0,25	0,2000	RCA гнездо на плату (K366F); тольпан, черный
Connector SMA	AMPH	132101 (~ AMS19; SMA-03V1-TGG; C33	30	3,50	3,1200	SMA straight plug; пайка 0,085", 0,086" (RG-405-M17/133) DC-18GHz 50 Ω
Connector SMA	AMPH	132360 (~ M770-001)	27	5,00	4,2000	SMA straight plug terminator 18GHz 50 Ω
Connector SMA	GGL	AFS09 (~ C330-020)	30	6,00	5,0000	SMA panel jack flange X4; пайка 0,141" (RG-402-M17/130) DC-18GHz 50 Ω
Connector SMA	GGL	AMS19 (~ C330-002; SMA-03V1-TGG)	0	3,50	3,2000	SMA straight plug; пайка 0,085" (RG-405-M17/133) DC-18GHz 50 Ω
Connector SMA	YET	C330-001 (~ SMA-JB047; SMA-03V3-TG	82	2,80	2,6000	SMA straight plug; пайка 0,047" (M17/151) DC-18GHz 50 Ω
Connector SMA	YET	C330-002 (~ AMS19; SMA-03V1-TGG; 1	958	2,80	2,5500	SMA straight plug; пайка 0,085" (RG-405-M17/133) DC-18GHz 50 Ω
Connector SMA	YET	C330-002-M6	275	3,60	3,2000	SMA-metric straight plug; пайка 0,085" (RG-405-M17/133) DC-18GHz 50 Ω
Connector SMA	YET	C330-003 (~ SMA-03V2-TGG)	400	3,00	2,7000	SMA straight plug; пайка 0,141" (RG-402-M17/130) DC-18GHz 50 Ω
Connector SMA	YET	C330-003-M6	411	3,40	3,0000	SMA-metric straight plug; пайка 0,141" (RG-402-M17/130) DC-18GHz 50 Ω
Connector SMA	YET	C330-005	0	3,40	3,0000	SMA right angle plug; пайка 0,047" (M17/151) DC-18GHz 50 Ω
Connector SMA	YET	C330-006 (~ SMA-02V1-TGG; WT17D3.6	0	2,80	2,5500	SMA right angle plug; пайка 0,085" (RG-405-M17/133) DC-18GHz 50 Ω
Connector SMA	YET	C330-007 (~ SMA-02V2-TGG)	0	3,40	3,0000	SMA right angle plug; пайка 0,141" (RG-402-M17/130) DC-18GHz 50 Ω
Connector SMA	YET	C330-009 (~ SMA-56V1-TGG)	0	2,90	2,5000	SMA bulkhead jack; пайка 0,085" (RG-405-M17/133) DC-18GHz 50 Ω
Connector SMA	YET	C330-010 (~ SMA-05V2-TGG)	0	2,90	2,5000	SMA bulkhead jack; пайка 0,141" (RG-402-M17/130) DC-18GHz 50 Ω
Connector SMA	YET	C330-012 (~ SMA-05V1-TGG)	0	2,90	2,6000	SMA bulkhead jack; пайка 0,085" (RG-405-M17/133) DC-18GHz 50 Ω
Connector SMA	YET	C330-013	33	3,50	3,0000	SMA bulkhead jack; пайка 0,141" (RG-402-M17/130) DC-18GHz 50 Ω
Connector SMA	YET	C330-016 (~ SMA-04V1-TGG)	0	2,90	2,6000	SMA straight jack; пайка 0,085" (RG-405-M17/133) DC-18GHz 50 Ω
Connector SMA	YET	C330-017	54	2,60	2,3000	SMA straight jack; пайка 0,141" (RG-402-M17/130) DC-18GHz 50 Ω
Connector SMA	YET	C330-018 (~ SMA-07V3-TGG)	0	2,60	2,3000	SMA panel jack flange X4; пайка 0,047" (M17/151) DC-18GHz 50 Ω
Connector SMA	YET	C330-019	102	3,00	2,8000	SMA panel jack flange X4; пайка 0,085" (RG-405-M17/133) DC-18GHz 50 Ω
Connector SMA	YET	C330-021	10	3,45	2,7500	SMA panel jack flange X2; пайка 0,047" (M17/151) DC-18GHz 50 Ω

Connector SMA	YET	C330-022	21	3,45	2,7500	SMA panel jack flange X2; пайка 0,085" (RG-405-M17/133) DC-18GHz 50 Ω
Connector SMA	YET	C330-023	28	3,45	2,7500	SMA panel jack flange X2; пайка 0,141" (RG-402-M17/130) DC-18GHz 50 Ω
Connector SMA	YET	C330-025 (~ KCC177601; SMA-03LV1-TG)	0	2,50	2,5500	SMA straight plug; обжим RG-174-188-316 DC-18GHz 50 Ω
Connector SMA	YET	C330-026	1	2,50	2,3000	SMA straight plug; обжим RG-316D/S DC-18GHz 50 Ω
Connector SMA	YET	C330-027 (~ SMA-03F-TGG)	0	2,90	2,6000	SMA straight plug; обжим RG-400-142-223-58 DC-18GHz 50 Ω
Connector SMA	YET	C330-028	101	3,45	2,7500	SMA straight plug; обжим LMR-200, HPF200 DC-18GHz 50 Ω
Connector SMA	YET	C330-030	21	2,80	2,5500	SMA right angle plug; обжим RG-174-188-316 DC-18GHz 50 Ω
Connector SMA	YET	C330-031	0	2,80	2,5000	SMA right angle plug; обжим RG-316D/S DC-18GHz 50 Ω
Connector SMA	YET	C330-032	97	2,80	2,5500	SMA right angle plug; обжим RG-400-142-223-58 DC-18GHz 50 Ω
Connector SMA	YET	C330-033	107	3,90	3,1000	SMA right angle plug; обжим LMR-200, HPF200 DC-18GHz 50 Ω
Connector SMA	YET	C330-034	75	2,80	2,5500	SMA straight jack; обжим RG-174-188-316 DC-18GHz 50 Ω
Connector SMA	YET	C330-038D	2	2,70	2,3000	SMA panel jack flanged X2; обжим RG-174-188-316 DC-18GHz 50 Ω
Connector SMA	YET	C330-040	105	2,80	2,5500	SMA panel jack flanged X4; обжим RG-174-188-316 DC-18GHz 50 Ω
Connector SMA	YET	C330-042	57	2,80	2,5500	SMA bulkhead jack; обжим RG-174-188-316 DC-18GHz 50 Ω
Connector SMA	YET	C330-044	92	2,80	2,5500	SMA bulkhead jack; обжим RG-400-142-223-58 DC-18GHz 50 Ω
Connector SMA	YET	C330-046	102	2,80	2,5500	SMA bulkhead jack; обжим RG-174-188-316 DC-18GHz 50 Ω
Connector SMA	YET	C330-047	0	2,50	2,2000	SMA bulkhead jack; обжим RG-316D/S DC-18GHz 50 Ω
Connector SMA	YET	C330-059	11	3,50	3,0000	SMA panel jack flanged X2; пайка 0+3mm DC-18GHz 50 Ω
Connector SMA	YET	C330-060 (~ SMA-08V10-TGG)	89	3,30	2,9000	SMA panel jack flanged X2; пайка 3+3mm DC-18GHz 50 Ω
Connector SMA	YET	C330-061	200	3,50	3,0000	SMA panel jack flanged X2; пайка 5+3mm DC-18GHz 50 Ω
Connector SMA	YET	C330-061-M6x0.75	500	3,50	3,2000	SMA-metric panel jack flanged X2; пайка 5+3mm DC-18GHz 50 Ω
Connector SMA	YET	C330-062	200	3,20	2,8000	SMA panel jack flanged X2; пайка 10+3mm DC-18GHz 50 Ω
Connector SMA	YET	C330-062(15/18) (~SMA-08V4-TGG)	0	3,20	2,8000	SMA panel jack flanged X2; пайка 15+3mm DC-18GHz 50 Ω
Connector SMA	YET	C330-062-M6(15/18)	297	3,40	3,0000	SMA-metric panel jack flanged X2; пайка 15+3mm DC-18GHz 50 Ω
Connector SMA	YET	C330-063	122	3,50	3,0000	SMA panel jack flanged X4; пайка 0+3mm DC-18GHz 50 Ω
Connector SMA	YET	C330-064	125	3,50	3,0000	SMA panel jack flanged X4; пайка 3+3mm DC-18GHz 50 Ω
Connector SMA	YET	C330-065 (~ SMA-07V16-TGG)	62	3,50	3,0000	SMA panel jack flanged X4; пайка 5+3mm DC-18GHz 50 Ω
Connector SMA	YET	C330-066	89	3,50	3,0000	SMA panel jack flanged X4; пайка 10+3mm DC-18GHz 50 Ω
Connector SMA	YET	C330-071	45	4,40	3,9000	SMA straight bulkhead jack; пайка DC-18GHz 50 Ω
Connector SMA	YET	C330-071(M6)	0	3,50	3,0000	SMA-metric straight bulkhead jack; пайка DC-18GHz 50 Ω
Connector SMA	YET	C330-073	0	3,00	2,8000	SMA 4-pin straight PCB jack; пайка h=11.5mm DC-18GHz 50 Ω
Connector SMA	YET	C330-074	415	3,45	2,7500	SMA 4-pin straight PCB jack; пайка h=13.5mm DC-18GHz 50 Ω
Connector SMA	YET	C330-075	71	2,88	2,3000	SMA 2-pin straight PCB jack; пайка h=15.5mm DC-18GHz 50 Ω
Connector SMA	YET	C330-076 (~ SMA-KE-10)	280	3,30	3,0000	SMA 4-pin straight 1,3mm PCB-edge jack; пайка L=13.5mm DC-18GHz 50 Ω
Connector SMA	YET	C330-078 (~ SMA-11V4-TGG; +/- SMA-11V4-TGG)	200	4,90	4,3000	SMA 4-pin right angle PCB jack; пайка DC-18GHz 50 Ω
Connector SMA	KNN	KCC177601 (~ C330-025; SMA-03LV1-TG)	13	2,50	2,5500	SMA straight plug; обжим RG-174-188-316 DC-18GHz 50 Ω
Connector SMA	KNN	KCC179143	16	3,20	2,8000	SMA panel jack flanged X2; пайка 6,3+5,1mm DC-18GHz 50 Ω
Connector SMA	GGL	PSF-S02-000	1	15,00	13,7000	SMA panel jack flanged X2; 3,18+0,80mm 26.5GHz 50 Ω
Connector SMA	HST	SMA-02V1-TGG (~ C330-006; WT17D3.6)	230	2,80	2,5800	SMA right angle plug; пайка 0,085" (RG-405-M17/133) DC-18GHz 50 Ω
Connector SMA	HST	SMA-02V2-TGG (~ C330-007)	92	3,40	2,8800	SMA right angle plug; пайка 0,141" (RG-402/U) DC-18GHz 50 Ω
Connector SMA	HST	SMA-03F-TGG (~ C330-027)	98	2,60	2,1000	SMA straight plug; обжим RG-58, 141A/U DC-18GHz 50 Ω
Connector SMA	HST	SMA-03LV1-TGG (~ C330-025; KCC177601)	65	2,60	2,1000	SMA straight plug; обжим RG-174-316 DC-18GHz 50 Ω
Connector SMA	HST	SMA-03V1-TGG (~ C330-002; AMS19; 13)	0	3,00	2,7000	SMA straight plug; пайка 0,085" (RG-402/U) DC-18GHz 50 Ω
Connector SMA	HST	SMA-03V2-TGG (~ C330-003)	1	2,90	2,4000	SMA straight plug; пайка 0,141" (RG-402/U) DC-18GHz 50 Ω
Connector SMA	HST	SMA-04F-TGG (~ C330-036)	50	2,50	1,9800	SMA straight jack; обжим RG-58 DC-18GHz 50 Ω
Connector SMA	HST	SMA-04V1-TGG (~ C330-016)	100	2,50	1,9800	SMA straight jack; пайка 0,085" (RG-405-M17/133) DC-18GHz 50 Ω
Connector SMA	HST	SMA-05V1-TGG (~ C330-012)	200	2,90	2,4000	SMA bulkhead jack; пайка 0,085" (RG-405-M17/133) DC-18GHz 50 Ω
Connector SMA	HST	SMA-05V2-TGG (~ C330-010)	100	2,90	2,4000	SMA bulkhead jack; пайка 0,141" (RG-402-M17/130) DC-18GHz 50 Ω

Connector SMA	HST	SMA-06-TGG	50	3,00	2,6400	SMA panel plug flanged X2; пайка 0+5mm solder cup DC-18GHz 50 Ω
Connector SMA	HST	SMA-06V4-TGG	50	3,10	2,6400	SMA panel plug flanged X2; пайка 8,6+3,8mm DC-18GHz 50 Ω
Connector SMA	HST	SMA-07V10-TGG	50	2,90	2,4000	SMA panel jack flanged X4; пайка 15+2,9mm DC-18GHz 50 Ω
Connector SMA	HST	SMA-07V16-TGG (~ C330-065)	0	2,90	2,4000	SMA panel jack flanged X4; пайка 4,95+2,75mm DC-18GHz 50 Ω
Connector SMA	HST	SMA-07V3-TGG (~ C330-018)	50	2,90	2,4000	SMA panel jack flange X4; пайка 0,047" (M17/151) DC-18GHz 50 Ω
Connector SMA	HST	SMA-08-TGG	100	2,90	2,4000	SMA panel jack flanged X2; пайка 0+5,2mm solder cup DC-18GHz 50 Ω
Connector SMA	HST	SMA-08V10-TGG (~ C330-060)	0	2,90	2,4000	SMA panel jack flanged X2; пайка 4+2mm half post DC-18GHz 50 Ω
Connector SMA	HST	SMA-08V4-TGG (~ C330-062(15/18))	406	2,90	2,4000	SMA panel jack flanged X2; пайка 13,4+2,9mm DC-18GHz 50 Ω
Connector SMA	HST	SMA-10V11-TGG	50	2,90	2,4000	SMA bulkhead 1,57mm PCB-edge straight jack; L=17.4mm DC-18GHz 50 Ω
Connector SMA	HST	SMA-11-TGG (~ SMA-11V4-TGG; +/- C330-078)	80	3,00	2,7000	SMA 4-pin right angle PCB jack; пайка DC-18GHz 50 Ω
Connector SMA	HST	SMA-11V4-TGG (~ C330-078)	0	3,20	2,6500	SMA 4-pin right angle PCB jack; пайка DC-18GHz 50 Ω
Connector SMA	HST	SMA-56V1-TGG (~ C330-009)	157	2,90	2,6000	SMA bulkhead jack; пайка 0,085" (RG-405-M17/133) DC-18GHz 50 Ω
Connector SMA	HST	SMA-81V10-TGG	50	3,20	2,7600	SMA panel jack flanged X2; пайка 15+2,9mm captivated DC-18GHz 50 Ω
Connector SMA	HST	SMA-81V6-TGG	50	3,20	2,7000	SMA panel jack flanged X2; пайка 4,3+1,3mm captivated DC-18GHz 50 Ω
Connector SMA	YJE	SMA-JB047 (~ C330-001)	0	3,40	3,0000	SMA straight plug (no plating body); пайка 0,047" (M17/151) DC-18GHz 50 Ω
Connector SMA	YJE	SMA-KE-10 (~ C330-076)	0	2,20	2,0000	SMA 4-pin straight 1,3mm PCB-edge jack; пайка L=13.5mm DC-3GHz 50 Ω
Connector SMA	YJE	SMA-KE-19	5	2,20	2,0000	SMA 4-pin straight 1,7mm PCB-edge jack; пайка L=13.5mm DC-6GHz 50 Ω
Connector SMB	YET	C340-001	116	2,90	2,7000	SMB straight plug; пайка 0,085" (RG-405-M17/133) DC-4GHz 50 Ω
Connector SMB	YET	C340-002 (~ SMB-03V1-TGG)	0	3,30	3,1000	SMB right angle plug; пайка 0,085" (RG-405-M17/133) DC-4GHz 50 Ω
Connector SMB	YET	C340-004 (~ SMB-JY3)?	44	2,80	2,6000	SMB bulkhead jack; пайка 0,085" (RG-405-M17/133) DC-4GHz 50 Ω
Connector SMB	YET	C340-006 (~ SMB-K3)	64	2,80	2,6000	SMB straight plug; обжим RG-174-188-316 DC-4GHz 50 Ω
Connector SMB	YET	C340-009 (~ SMB-KW3)	124	3,80	3,5000	SMB right angle plug; обжим RG-174-188-316 DC-4GHz 50 Ω
Connector SMB	YET	C340-013	51	2,50	2,1000	SMB straight jack; обжим RG-316D/S DC-4GHz 50 Ω
Connector SMB	YET	C340-015	0	2,80	2,6000	SMB bulkhead jack; обжим RG-174-188-316 DC-4GHz 50 Ω
Connector SMB	YET	C340-017 (~ SMB-50ZJY-6)	100	3,70	3,4000	SMB bulkhead jack panel front mount; DC-4GHz 50 Ω
Connector SMB	YET	C340-018 (~ SMB-17-TGG-2)	103	3,90	3,4000	SMB bulkhead jack panel back mount; DC-4GHz 50 Ω
Connector SMB	YET	C340-020 (~ SMB-JHD; SMB-10-TGG)	116	3,20	2,7000	SMB 4-pin straight PCB jack; DC-4GHz 50 Ω
Connector SMB	YET	C340-021 (~ SMB-06-TGG)	504	3,70	3,3500	SMB 4-pin right angle PCB plug; DC-4GHz 50 Ω
Connector SMB	YET	C340-022D(IFM) (~ SMB-JWHD; SMB-07-TGG)	111	3,90	3,4000	SMB 4-pin right angle PCB jack; DC-4GHz 50 Ω
Connector SMB	YET	C340-100-01	0	3,42	3,0000	SMB panel jack flanged X2; пайка 2.2+1.8mm DC-4GHz 50 Ω
Connector SMB	YET	C340-100-04	0	3,80	3,5000	SMB panel jack flanged X2; пайка 0+10mm DC-4GHz 50 Ω
Connector SMB	HST	SMB-03F-TGG	20	3,00	2,5000	SMB right angle plug; обжим RG-58/U DC-4GHz 50 Ω
Connector SMB	HST	SMB-03V1-TGG (~ C340-002)	0	2,90	2,4000	SMB right angle plug; пайка 0,085" (RG-405-M17/133) DC-4GHz 50 Ω
Connector SMB	HST	SMB-06-TGG (~ C340-021)	100	3,20	2,7000	SMB 4-pin right angle PCB plug; DC-4GHz 50 Ω
Connector SMB	HST	SMB-07-TGG (~ C340-022D(IFM); SMB-06-TGG)	10	3,00	2,5000	SMB 4-pin right angle PCB jack; DC-4GHz 50 Ω
Connector SMB	HST	SMB-07V5-TGG (+/- SMB-JWHY)	100	2,90	2,4000	SMB 4-pin right angle bulkhead PCB jack DC-4GHz 50 Ω
Connector SMB	HST	SMB-08LV1-TGG	50	3,00	2,6500	SMB right angle jack; обжим RG-174-188-316 DC-4GHz 50 Ω
Connector SMB	HST	SMB-10-TGG (~ C340-020; SMB-JHD)	1	2,50	2,2500	SMB 4-pin straight PCB jack; DC-4GHz 50 Ω
Connector SMB	HST	SMB-12-TGG	10	2,50	2,0000	SMB panel jack flanged X2; пайка 0+5,1mm DC-4GHz 50 Ω
Connector SMB	HST	SMB-17-TGG-2 (~ C340-018)	110	2,60	2,1000	SMB bulkhead jack panel back mount; DC-4GHz 50 Ω
Connector SMB	YJE	SMB-50ZJY-6 (~ C340-017)	6	3,70	3,3500	SMB bulkhead jack panel front mount; DC-4GHz 50 Ω
Connector SMB	YET	SMB-JWHY (+/- SMB-07V5-TGG)	433	5,50	4,9500	SMB 4-pin right angle bulkhead PCB jack DC-4GHz 50 Ω
Connector SSMA	KNN	KCC178685	50	9,00	8,5800	SSMA panel jack flanged X4; пайка 9,50+3,20mm DC-18GHz 50 Ω
Connector TNC	AMPH	122160	4	6,50	6,0000	TNC bulkhead jack; обжим RG-58-141-303 DC-11GHz 50 Ω
Connector TNC	YET	C370-006	12	6,40	5,7000	TNC straight plug; обжим RG-400-142-223-58 DC-11GHz 50 Ω
Connector TNC	YET	C370-007	86	5,80	5,1000	TNC straight plug; обжим RG-213-214-393 DC-11GHz 50 Ω
Connector TNC	YET	C370-015	0	7,00	6,3000	TNC panel jack flanged X4; обжим RG-400-142-223-58 DC-11GHz 50 Ω
Connector TNC	YET	C370-017	13	7,85	6,9000	TNC panel jack flanged X4; DC-11GHz 50 Ω

Connector TNC	HST	TNC-44-NICKEL-1	5	2,50	2,0000	TNC plug dust cap with chain; DC-11GHz 50 Ω
Connector TNC	YJE	TNC-J-FC	5	3,00	2,8000	TNC jack dust cap with chain; DC-11GHz 50 Ω
Converter AD	ADI	AD7829BR	2	10,20	10,2000	8-CHNL 2MSPS PARALLEL 8-B
Converter AD	TI	PCM1801U	10	5,00	4,5000	STEREO AUDIO A/D CONVERTER
Converter DA	LTC	LTC1595CCS8	5	20,61	20,6100	SERIAL 16-BIT MULTIPLYING DAC; SO-8
Coupler Directional	MIN	DBTC-10-13+	15	3,50	3,3800	5-1000 MHz Directional Coupler 10dB coupling, 50 Ω
Decoder Video	PHS	SAA7115HL/V1.518	9	12,00	12,0000	IC DIGITAL VIDEO DECODER 100LQFP
Designer Kit	HP	FiberOptic Designer Kit	1	20,00	20,0000	HFBR-1528; HFBR-2528; HFBR-RNS002 (2 M)
Designer Kit	HP	IrDA Designer Kit	1	20,00	20,0000	HSDL-1000 Board; HSDL-4220; HSDL-4230; Apl. Notes
Detector	MCS	MDU2000-C930802	2	80,00	80,0000	X-Band Doppler Motion Detector; 10.525GHz; 5V
Diode	ONS	1N5343BRL	37	0,13	0,0900	DIODE ZENER 7.5V 5W AXIAL
Diode	VIS	BA679S-GS08	87	0,28	0,2200	PIN Diode, 50 mA, 30 V, SOD-80
Diode	PHS	BAV103	1	0,05	0,0500	DIODE SWITCH 200V 500MW MINIMELF
Diode	PHS	BB133/T1	10013	0,10	0,0900	DIO-RFSS SOD323
Diode	INF	BB857-E7902	2139	0,50	0,3000	VARACTOR DIODE (IN-LINE MATCHED), SCD80
Diode	PHS	BYV98-200	20	1,25	1,2500	DIODE AVALANCHE 200V 4A SOD64
Diode	PHS	BZX84-C8V2/T1	1490	0,06	0,0448	ZEN SOT23 REG .225W 8.2V
Diode	AVG	HSMP-3824-BLKG	21	1,20	1,0800	DIODE, PIN SWITCH 50V SOT-23-3
Diode	AGI	HSMS-2822-BLKG	69	0,90	0,7500	DIODE, SCHOTTKY, SMT, SOT-323
Diode	AGI	HSMS-286C-BLKG	130	1,20	1,0800	DIODE, SCHOTTKY, SMT, SOT-323
Diode	M/A-COM	MA4AGSW1	15	12,00	10,0000	SPST REFLECTIVE ALGAAS PIN DIODE SWITCH
Diode	M/A-COM	MA4SW210	40	9,25	7,7000	Monolithic PIN Diode Switch
Diode	ONS	MBRD1035CTL	2	1,30	1,0000	REC DPAK 10A 35V SHTKY
Diode	M/A-COM	MSWSH-100-30	6	75,60	75,6000	RF Switch, SPST, 0.1 to 6 GHz, 0.25 dB IL, 29 dB Isolation, 50 dBm PIN Diode
Diode	ONS	MV2109G	1	0,85	0,8500	DIODE TUNING 30V 200MA TO92-2
Diode	MCC	SR208-TP	40	0,35	0,3500	DIODE SCHOTTKY 80V 2A DO41
Diode	n/a	Д245А (0475)	10	1,00	1,0000	С КРЕПЛЕНИЕМ
Driver	NSC	DS75451N	30	0,60	0,4500	0.3 A 2 CHAN, GATE BASED PRPHL DRVR, DIP8
Driver	IR	IR21531SPBF	10	1,50	1,3200	MOSFET N-CH 200V 18A TO-220AB
Driver	STM	L293D	10	2,95	2,8000	QUAD P-P DR DIOD
Driver	STM	VN750S	3	2,00	2,0000	HSD 41V 0.06 Ω
Ferrite Bead	TDK	MMZ1608R600A	750	0,07	0,0600	FERRITE CHIP BEAD 60 Ω SMD 0603
Fiber Optics Accessory	AGI	HFBR-4593	20	4,32	4,3200	POLISHING KIT "A"
Filter EMI	EMF	B4C000D	5	3,00	3,0000	SMALL 4-40 "C" Filter, 0pF 200V -55+125C
Filter EMI	EMF	B5C000DT	25	3,00	3,0000	SMALL 4-40 "C" Filter, 0pF 200V -55+125C, Sn/Pb plated
Filter EMI	EMF	B5C101D	25	3,30	3,3000	SMALL 4-40 "C" Filter, 100pF 200V -55+125C
Filter EMI	EMF	B5C102D	25	3,30	3,3000	SMALL 4-40 "C" Filter, 1000pF 200V -55+125C
Filter EMI	EMF	B5C104AT	182	4,50	4,5000	SMALL 4-40 "C" Filter, 0.1uF 50V -55+125C, Sn/Pb plated
Filter EMI	EMF	B7L103D	40	3,80	3,8000	SMALL 8-32 "L" Filter, 10000pF 200V -55+125C
Filter EMI	EMF	FC22YFA202A (~ 2463-002-X5U0-152P)	100	1,20	1,2000	Feed Through Filter, 2000pF ±20% 50V -25+85C
Filter EMI	EMF	FT12-200-095G	17	2,00	2,0000	Feed-thru, NO capacitor, glass K=6,65, central pin=0,015", 39.5 Ω
Filter EMI	EMF	M3C000D	52	3,80	3,8000	M3 MINI METRIC "C" Filter, 0pF 200V -55+125C
Filter EMI	EMF	M3C100D	0	4,55	4,5500	M3 MINI METRIC "C" Filter, 10pF 200V -55+125C
Filter EMI	EMF	M3C101D	0	4,55	4,5500	M3 MINI METRIC "C" Filter, 100pF 200V -55+125C
Filter EMI	EMF	M3C153B	0	4,50	4,5000	M3 MINI METRIC "C" Filter, 0.015uF 100V -55+125C
Filter EMI	EMF	M4C000D	59	3,30	3,3000	M4 METRIC "C" Filter, 0pF 200V -55+125C
Filter EMI	EMF	M4C100D	25	3,45	3,4500	M4 METRIC "C" Filter, 10pF 200V -55+125C
Filter EMI	EMF	M4C101D	25	3,30	3,3000	M4 METRIC "C" Filter, 100pF 200V -55+125C

Filter EMI	EMF	M4C102D	25	3,30	3,3000	M4 METRIC "C" Filter, 1000pF 200V -55+125C
Filter EMI	EMF	M4C104A	25	6,35	5,2500	M4 METRIC "C" Filter, 0.1uF 50V -55+125C
Filter EMI	EMF	M4C250D	25	4,05	4,0500	M4 METRIC "C" Filter, 25pF 200V -55+125C
Filter EMI	EMF	M4C332D	0	3,40	3,4000	M4 METRIC "C" Filter, 3200pF 200V -55+125C
Filter EMI	EMF	M4C333A	0	4,65	4,6500	M4 METRIC "C" Filter, 0.033uF 50V -55+125C
Filter EMI	EMF	M4C502D	25	4,05	4,0500	M4 METRIC "C" Filter, 5000pF 200V -55+125C
Filter EMI	EMF	M4L104A	0	6,35	6,3500	M4 METRIC "L" Filter, 0.1uF 50V -55+125C
Filter EMI	EMF	R3C000D	45	3,57	3,5700	R3 MINI 4-40 "C" Filter, 0pF 200V -55+125C
Filter EMI	EMF	R3L333A	50	5,16	5,1600	R3 MINI 4-40 "L" Filter, 0.033uF 50V -55+125C
Filter EMI	n/a	RTF-76-001-M3	20	1,50	1,5000	M3 METRIC "C" Filter, 10pF 100VDC -55+125C
Filter EMI	n/a	RTF-76-112-M3	80	1,50	1,5000	M3 METRIC "C" Filter, 2200pF 100VDC -55+125C
Filter EMI	EMF	XSC000D	50	3,18	3,1800	0.105" Solder-IN St-Herm. "C" Filter, 0pF 200V -55+125C
Filter EMI	EMF	XSC100D	50	3,36	3,3600	0.105" Solder-IN St-Herm. "C" Filter, 10pF 200V -55+125C
Filter EMI	EMF	XSC102D	50	4,62	4,6200	0.105" Solder-IN St-Herm. "C" Filter, 1000pF 200V -55+125C
Filter EMI	EMF	XSC502B	0	3,25	3,2500	0.105" Solder-IN St-Herm. "C" Filter, 5000pF 100V -55+125C
Filter EMI	EMF	ZPC250D	25	2,85	2,8500	0.128" Solder-IN Non-Herm. "C" Filter, 25pF 200V -55+125C
Filter EMI	EMF	ZPC333A	0	3,96	3,9600	0.128" Solder-IN Non-Herm. "C" Filter, 0.033uF 50V -55+125C
Filter EMI	EMF	ZRC000D	240	3,60	3,6000	0.128" Solder-IN R-Herm. "C" Filter, 0pF 200V -55+125C
Filter EMI	EMF	ZRC000D-183	0	2,50	2,5000	0.128" Solder-IN R-Herm. "C" Filter, 0pF 200V -55+125C
Filter EMI	EMF	ZRC000DT	0	2,50	2,5000	0.128" Solder-IN R-Herm. "C" Filter, 0pF 200V -55+125C, Sn/Pb plated
Filter EMI	EMF	ZRC100D	0	5,25	5,2500	0.128" Solder-IN R-Herm. "C" Filter, 10pF 200V -55+125C
Filter EMI	EMF	ZRC100D-183	0	2,60	2,6000	0.128" Solder-IN R-Herm. "C" Filter, 10pF 200V -55+125C
Filter EMI	EMF	ZRC101D	0	3,40	3,4000	0.128" Solder-IN R-Herm. "C" Filter, 100pF 200V -55+125C
Filter EMI	EMF	ZRC101D-183	0	2,60	2,6000	0.128" Solder-IN R-Herm. "C" Filter, 100pF 200V -55+125C
Filter EMI	EMF	ZRC102D	0	3,50	3,5000	0.128" Solder-IN R-Herm. "C" Filter, 1000pF 200V -55+125C
Filter EMI	EMF	ZRC102D-183	9	2,60	2,6000	0.128" Solder-IN R-Herm. "C" Filter, 1000pF 200V -55+125C
Filter EMI	EMF	ZRC103B	0	2,50	2,5000	0.128" Solder-IN R-Herm. "C" Filter, 0.01uF 100V -55+125C
Filter EMI	EMF	ZRC103B-183	0	2,80	2,8000	0.128" Solder-IN R-Herm. "C" Filter, 0.01uF 100V -55+125C
Filter EMI	EMF	ZRC122D	50	4,05	4,0500	0.128" Solder-IN R-Herm. "C" Filter, 1200pF 200V -55+125C
Filter EMI	EMF	ZRC152D-183	0	2,70	2,7000	0.128" Solder-IN R-Herm. "C" Filter, 1500pF 200V -55+125C
Filter EMI	EMF	ZRC152DT	0	2,50	2,5000	0.128" Solder-IN R-Herm. "C" Filter, 1500pF 200V -55+125C, Sn/Pb plated
Filter EMI	EMF	ZRC153B	0	3,90	3,9000	0.128" Solder-IN R-Herm. "C" Filter, 0.015uF 100V -55+125C
Filter EMI	EMF	ZRC153B-183	25	3,10	3,1000	0.128" Solder-IN R-Herm. "C" Filter, 0.015uF 100V -55+125C
Filter EMI	EMF	ZRC153B-269	0	2,50	2,5000	0.128" Solder-IN R-Herm. "C" Filter, 0.015uF 100V -55+125C
Filter EMI	EMF	ZRC250D-183	25	2,60	2,6000	0.128" Solder-IN R-Herm. "C" Filter, 25pF 200V -55+125C
Filter EMI	EMF	ZRC272D	167	4,80	4,8000	0.128" Solder-IN R-Herm. "C" Filter, 2700pF 200V -55+125C
Filter EMI	EMF	ZRC272D-183	0	2,60	2,6000	0.128" Solder-IN R-Herm. "C" Filter, 2700pF 200V -55+125C
Filter EMI	EMF	ZRC273A	200	4,44	4,4400	0.128" Solder-IN R-Herm. "C" Filter, 0.027uF 50V -55+125C
Filter EMI	EMF	ZRC273A-183	25	3,20	3,2000	0.128" Solder-IN R-Herm. "C" Filter, 0.027uF 50V -55+125C
Filter EMI	EMF	ZRC273AG-137	0	2,50	2,5000	0.128" Solder-IN R-Herm. "C" Filter, 0.027uF 50V -55+125C, Au plated
Filter EMI	EMF	ZRC273AT	0	2,50	2,5000	0.128" Solder-IN R-Herm. "C" Filter, 0.027uF 50V -55+125C, Sn/Pb plated
Filter EMI	EMF	ZRC333A	250	6,00	6,0000	0.128" Solder-IN R-Herm. "C" Filter, 0.033uF 50V -55+125C
Filter EMI	EMF	ZRC333A-183	25	3,40	3,4000	0.128" Solder-IN R-Herm. "C" Filter, 0.033uF 50V -55+125C
Filter EMI	EMF	ZRC333AT	50	4,20	4,2000	0.128" Solder-IN R-Herm. "C" Filter, 0.033uF 50V -55+125C, Sn/Pb plated
Filter EMI	EMF	ZRC500D	0	2,50	2,5000	0.128" Solder-IN R-Herm. "C" Filter, 50pF 200V -55+125C
Filter EMI	EMF	ZRC500D-183	25	2,60	2,6000	0.128" Solder-IN R-Herm. "C" Filter, 50pF 200V -55+125C
Filter EMI	EMF	ZRC501D	0	4,55	4,5500	0.128" Solder-IN R-Herm. "C" Filter, 500pF 200V -55+125C
Filter EMI	EMF	ZRC501D-183	25	2,60	2,6000	0.128" Solder-IN R-Herm. "C" Filter, 500pF 200V -55+125C

Filter EMI	EMF	ZRC502B	0	4,55	4,5500	0.128" Solder-IN R-Herm. "C" Filter, 5000pF 100V -55+125C
Filter EMI	EMF	ZRC502D	255	4,35	4,3500	0.128" Solder-IN R-Herm. "C" Filter, 5000pF 200V -55+125C
Filter EMI	EMF	ZRC502D-183	0	2,80	2,8000	0.128" Solder-IN R-Herm. "C" Filter, 5000pF 100V -55+125C
Filter EMI	EMF	ZRC751DM-124	0	2,50	2,5000	0.128" Solder-IN R-Herm. "C" Filter, 750pF 200V -55+125C
Filter EMI	EMF	ZRGND-183	10			0.128" Solder-IN R-Herm. Ground Point, 0pF DCmax 10A -55+125C
Filter EMI	EMF	ZRH272B	0	2,50	2,5000	0.128" Solder-IN R-Herm. "C" Filter, 2700pF 100V -55+125C
Filter EMI	EMF	ZSC000D	70	3,00	3,0000	0.128" Solder-IN St-Herm. "C" Filter, 0pF 200V -55+125C
Filter EMI	EMF	ZSC000D-436	25	2,50	2,5000	0.128" Solder-IN St-Herm. "C" Filter, 0pF 200V -55+125C
Filter EMI	EMF	ZSC100D-436	25	2,50	2,5000	0.128" Solder-IN St-Herm. "C" Filter, 10pF 200V -55+125C
Filter EMI	EMF	ZSC101D-436	25	2,60	2,6000	0.128" Solder-IN St-Herm. "C" Filter, 100pF 200V -55+125C
Filter EMI	EMF	ZSC101DT	0	2,50	2,5000	0.128" Solder-IN St-Herm. "C" Filter, 100pF 200V -55+125C, Sn/Pb plated
Filter EMI	EMF	ZSC102D	150	4,70	4,7000	0.128" Solder-IN St-Herm. "C" Filter, 1000pF 200V -55+125C
Filter EMI	EMF	ZSC102D-159	0	2,50	2,5000	0.128" Solder-IN St-Herm. "C" Filter, 1000pF 200V -55+125C
Filter EMI	EMF	ZSC102D-436	0	2,50	2,5000	0.128" Solder-IN St-Herm. "C" Filter, 1000pF 200V -55+125C
Filter EMI	EMF	ZSC153B	115	4,20	4,2000	0.128" Solder-IN St-Herm. "C" Filter, 0.015uF 100V -55+125C
Filter EMI	EMF	ZSC153B-436	0	2,90	2,9000	0.128" Solder-IN St-Herm. "C" Filter, 0.015uF 100V -55+125C
Filter EMI	EMF	ZSC223BM-184	5	3,70	3,5000	0.128" Solder-IN St-Herm. "C" Filter, 0.022uF 100V -55+125C
Filter EMI	EMF	ZSC250D-436	25	2,50	2,5000	0.128" Solder-IN St-Herm. "C" Filter, 25pF 200V -55+125C
Filter EMI	EMF	ZSC272D	25	3,50	3,5000	0.128" Solder-IN St-Herm. "C" Filter, 2700pF 200V -55+125C
Filter EMI	EMF	ZSC272D-436	25	2,50	2,5000	0.128" Solder-IN St-Herm. "C" Filter, 2700pF 200V -55+125C
Filter EMI	EMF	ZSC273A	368	5,25	5,2500	0.128" Solder-IN St-Herm. "C" Filter, 0.027uF 50V -55+125C
Filter EMI	EMF	ZSC273AT	0	4,02	4,0200	0.128" Solder-IN St-Herm. "C" Filter, 0.027uF 50V -55+125C, Sn/Pb plated
Filter EMI	EMF	ZSC333A	0	3,90	3,9000	0.128" Solder-IN St-Herm. "C" Filter, 0.033uF 50V -55+125C
Filter EMI	EMF	ZSC333A-436	0	3,25	3,2500	0.128" Solder-IN St-Herm. "C" Filter, 0.033uF 50V -55+125C
Filter EMI	EMF	ZSC333AT	0	2,50	2,5000	0.128" Solder-IN St-Herm. "C" Filter, 0.033uF 50V -55+125C, Sn/Pb plated
Filter EMI	EMF	ZSC501D-436	25	2,50	2,5000	0.128" Solder-IN St-Herm. "C" Filter, 500pF 200V -55+125C
Filter EMI	EMF	ZSC502DT	0	2,50	2,5000	0.128" Solder-IN St-Herm. "C" Filter, 5000pF 200V -55+125C, Sn/Pb plated
Filter EMI	EMF	ZSH272D	0	2,50	2,5000	0.128" Solder-IN St-Herm. "C" Filter, 2700pF 200V -55+125C
Filter RF	MIN	HFCN-2100+	20	4,00	3,6000	2,2-6 GHz, Ceramic High Pass Filter, 50 Ω
Filter RF	MIN	LFCN-3000+	1	3,50	3,4000	DC-3000 MHz, Ceramic Low Pass Filter, 50 Ω
Filter RF	MIN	LFCN-800+	4	3,50	3,4000	DC-800 MHz, Ceramic Low Pass Filter, 50 Ω
Filter SAW	ACT	ACTF315/315.0/F11	1	1,50	1,0000	315.0 MHz SAW FILTER F11 Package
Filter SAW	ACT	ACTF315/315.0/TO39	3	1,50	1,0000	315.0 MHz SAW FILTER TO39 Package
Filter SAW	ACT	ACTF8010/836.50/DCC6C	50	3,00	2,7200	836.5 MHz SAW FILTER SMD Package
Filter SAW	ACT	ACTF8011/881.50/DCC6C	25	3,00	2,7200	881.5 MHz SAW FILTER SMD Package
Filter SAW	ACT	ACTF8014/897.50/DCC6	14	3,00	2,7200	897.5 MHz SAW FILTER SMD Package
Filter SAW	ACT	ACTF9019/1090.0/QCC8B	20	1,50	1,2000	1090.00 MHz RF SAW FILTER SMD Package
Filter SAW	ACT	ACTF9037/902.50/DCC6	198	2,50	2,3500	902.5 MHz SAW FILTER SMD Package
Filter SAW	ACT	ACTF9038/947.50/DCC6C	32	2,50	2,3500	947.5 MHz SAW FILTER SMD Package
Filter SAW	ACT	ACTX3033D/36.125/SIP5D	25	1,00	0,6500	36.125 MHz RF SAW FILTER SMD Package
Filter SAW	SPT	LB140DS05	22	30,00	30,0000	140MHz Low-loss SAW Filter 5MHz Bandwidth
Fuse	LTF	0459 02.5	10	1,00	0,7000	Surface Mount Fuse 125V 2.5A; SMD
Fuse	AUP	BF142X	39	0,50	0,5000	Thermal Fuse Cutoff FT 142C; 250V 16A; Axial
Fuse	RAY	RXE020	100	0,35	0,2500	Resettable POLYSWITCH RXE SERIES 0.20A HOLD; 72V; Radial
Glass Bead Coaxial	GGL	TL-522 (for PKF-S00-000)	0	10,00	10,0000	Glass Bead with 0,30mm accept pin
IC Bus Extender	PHS	P82B715PN	3	3,70	3,3500	I2C BUS EXTENDER
IC Clamping Array	MOT	TCF6000D	12	1,55	1,4700	LIN PERIPHERAL CLMPG ARRY
IC Divider	AD	HMC368LP4	16	70,00	67,3000	IC FREQ DIVIDER 9-16GHZ 24QFN

IC Divider	TI	UCC27324DGN	18	2,80	2,8000	IC MOSFET DRVR DUAL HS 4A 8-MSOP
IC Doubler	HTT	HMC204MS8G	2	11,02	11,0200	Passive SMT Freq. Doubler, 4 - 8 GHz Fin
IC FPGA	ALT	EP1K100QI208-2N	50	100,00	90,0000	IC ACEX 1K FPGA 100K 208-PQFP
IC FPGA	XIL	XC17S20XLPD8C	24	20,00	20,0000	IC PROM PROG C-TEMP 3.3V 8-DIP
IC FPGA	XIL	XC3S50-4PQG208I	3	25,00	20,0000	
IC Logic	PHS	74HC107N	5	0,50	0,2500	DUAL J-K F/F W/NEG-EDGE TRIG
IC Logic	PHS	74HC24D	110	0,31	0,2692	OCTAL BUFFER 3-STATE
IC Logic	NXP	74HC245D	75	0,70	0,5800	IC TXRX OCTAL BUS 3 STATE 20SOIC
IC Logic	PHS	74HC273N	13	0,50	0,2000	OCTAL D-TYPE FLIP/FLOP
IC Logic	PHS	74HC40103D	4	1,37	1,3000	IC 8BIT SYNC BINARY DOWN 16-SOIC
IC Logic	PHS	74HCT00D	27	0,50	0,1200	QUAD 2-INPUT NAND GATE
IC Logic	PHS	74HCT138D	50	0,50	0,1700	3-TO-8 DECODER DEMULTIPLEXER
IC Logic	PHS	74HCT4046AD	25	0,50	0,4300	PHASE-LOCKED LOOP W/VCO
IC Logic	PHS	74HCT4052D	45	0,50	0,2100	DUAL 4-CHANNEL ANALOG MUX/DMUX
IC Logic	TI	CD4013BE	181	0,15	0,1200	DUAL POSITIVE EDGE TRIGGERED D FLIP-FLOP
IC Logic	NSC	DM74S140N	1	0,70	0,7000	DUAL 4-INPUT NAND GATE, PDIP14
IC Logic	STM	HCF4516BEY	50	0,50	0,3800	PRESET UP/DOWN
IC Logic	PHS	HEF4052BT	30	0,50	0,2200	DUAL 4-CHANNEL MUX/DEMUX
IC Logic	STM	M74HCT125RM13TR	2	0,90	0,7000	IC BUS BUFFER QUAD N-INV 14SOICN
IC Logic	MOT	MC74AC374DT	50	0,80	0,3500	LOG CMOS D FLIP FLOP OCTL
IC Logic	ONS	MC74ACT02D	30	0,20	0,1800	LOG CMOS GATE NOR QUAD
IC Logic	ONS	MC74ACT138D	28	0,35	0,3200	LOG CMOS DCODE/DMULTI 1-8
IC Logic	ONS	MC74ACT157D	3	0,35	0,3200	LOG CMOS MLTIPLXR QUAD
IC Logic	ONS	MC74ACT257D	8	0,45	0,4100	LOG CMOS MLTIPLXR QUAD
IC Logic	ONS	MC74ACT273DW	22	0,35	0,3200	LOG CMOS D FLIP FLOP OCTL
IC Logic	ONS	MC74ACT32D	35	0,50	0,1700	LOG CMOS GATE OR QUAD
IC Logic	FSC	MM74HCT244MTC	6	1,00	0,9500	Octal 3-STATE Buffer TSSOP-20
IC Logic	TI	SN74AC574PWR	5	1,20	1,0200	IC OCT EDG-TRG D-TYP F-F 20TSSOP
IC Logic	TI	SN74ACT00PWR	21	0,45	0,3900	IC GATE NAND 4CH 2-INP 14-TSSOP
IC Logic	TI	SN74AHC00N	2	0,30	0,3000	QUADPUPL 2-INPUT POSITIVE-NAND GATES
IC Logic	TI	SN74AHC14N	2	0,30	0,3000	HEX SCHMITT-TRIGGER INVERTER
IC Logic	TI	SN74AHC244DW	2	0,30	0,3000	OCTAL BUS DRIVER W/ 3-STATE OUTPUTS
IC Logic	TI	SN74AHC245DW	2	0,30	0,3000	OCTAL TRANSCEIVER W/ 3-STATE OUTPUTS
IC Logic	TI	SN74HCT273DW	12	0,50	0,3000	OCTAL D-TYPE FLIP-FLOP
IC Logic	TI	SN74HCT574DW	10	0,16	0,1600	OCTAL D-TYPE FLIP-FLOP
IC Logic	MOT	SN74LS244DW	10	0,39	0,3500	OCTAL 3-ST BUFFER/LINE DRIVER
IC Logic	TI	SN74LV04APWR	5	0,80	0,6000	IC HEX INVERTER 14-TSSOP
IC Logic	TI	SN74LVC1G08DBVR	6	1,00	0,7200	IC 2-INPUT AND GATE SOT-23-5
IC Modem	CML	FX909AD5	5	30,00	30,0000	GMSK PACKET DATA MODEM; SSOP-24
IC Receiver	FSC	FIN1018K8X	170	1,15	0,9500	IC RECEIVER 3.3V HS LVDS 8US8
IC Receiver	TI	MC3486N	25	0,80	0,4100	QUAD LINE RCVR/LINEAR, INTERFACE
IC RF	SKW	SKY65336-11	5000	3,00	2,5000	IC FEM TRANS/RCV 2.4GHZ 28-MCM
IC Step-Down	LTC	LTC3778EF	10	15,40	11,4000	IC STEP-DWN CONTRLR SYNC 20TSSOP
IC Supervisor	ADI	ADM708RAR	19	2,10	1,9500	RESET GENERATOR I.C.
IC Switch	INF	BTS555	30	11,00	10,0000	IC HISIDE PWR SWTCH TO218AB/5-1 (520A)?
IC Switch	HTT	HMC199MS8	95	3,00	2,8800	DC-2.5 GHz DUAL SPDT SWITCH
IC Switch	HTT	HMC252QS24	29	10,20	9,7000	GaAs MMIC SP6T NON-REFL SWITCH, DC - 3.0 GHz
IC Switch	HTT	HMC336MS8G	14	3,90	3,7000	GaAs MMIC SPDT NON-REFL POS CTL SWT, DC - 6.0 GHz

IC Switch	HTT	HMC349LP4C	2	6,00	5,6000	SPDT Hi-Iso SWITCH, DC - 4.0 GHz
IC Switch	NSC	LM2611AMF/NOPB	33	3,00	2,7600	IC REG SW 1.4MHZ SOT23-5
IC Transmitter	ROHM	BH1417F-E2	1	4,00	4,0000	IC TRANSMITTER FM STEREO SOP22
IC Transmitter	TI	MC3487N	25	0,80	0,4100	QUAD DIFF Line DRVR/LINEAR, INTERFACE
IC VCO	HTT	HMC391LP4	6	16,00	15,3000	MMIC VCO with BUFFER AMP, 3.90 - 4.45 GHz
Inductor	EPC	B82496C3220J	16	1,00	0,9500	INDUCTOR 22NH 0.38A 0603 5%
Inductor	BUR	CI201210-R47J	46	0,20	0,1500	Inductors 470nH 5%
Inductor	MUR	LQM21NNR10K10D	20	0,35	0,3000	Fixed Inductor 0805 0.1uH 250mA 10%
Inductor	TDK	MLF2012K470K	50	0,80	0,5000	INDUCTOR MULTILAYER 47UH 2012
Inductor	CCR	U6904-A	2	1,00	1,0000	SURFACE MOUNT INDUCTOR
Isolator	FSC	FOD2741A_Q	2	1,00	1,0000	Transistor Output Optocouplers Error amplifier Optocoupler
Isolator	AGI	HCPL-0710	5	4,72	4,7200	40NS PROP. DELAY OPTOCOUPLER
Isolator	NVE	IL613-3E	5	8,00	7,2500	ISOLATOR 3TX 16SOIC
Isolator	INF	SFH610A-4	415	0,30	0,2300	OPTOCOUP, CTR160-320, 5300Vrms, BVceo40, DIP4
Laminate	ROG	AD450L 305x457mm 0600 (3085945)	4	183,00	183,0000	DK: 4,50 ±0,25; 1,52mm/35um x2 ED
Laminate	ROG	RO3003 305x457mm	0	108,00	101,0000	DK: 3,00 ±0,04; 0,13mm/17,5um x2 ED
Laminate	ROG	RO3003 305x457mm	0	82,00	76,0000	DK: 3,00 ±0,04; 0,25mm/17,5um x2 ED
Laminate	ROG	RO3003 305x457mm	0	89,00	83,0000	DK: 3,00 ±0,04; 0,51mm/17,5um x2 ED
Laminate	ROG	RO3006 305x457mm	0	215,00	200,0000	DK: 6,15 ±0,15; 0,64mm/35um x2
Laminate	ROG	RO4003C 305x457mm	0	95,00	89,0000	DK: 3,38 ±0,05; 0,20mm/17,5um x2 ED
Laminate	ROG	RO4003C 305x457mm	0	119,00	111,0000	DK: 3,38 ±0,05; 0,81mm/35um x2 ED
Laminate	ROG	RO4003C 305x457mm 0200 (2007206)	4	60,00	55,2000	DK: 3,38 ±0,05; 0,51mm/17,5um x2 ED
Laminate	ROG	RO4003C 305x457mm 0320 (2007209)	0	140,00	138,0000	DK: 3,38 ±0,05; 0,81mm/17,5um x2 ED
Laminate	ROG	RO4003C LoPro 305x457mm 0207 (3006	9	55,00	50,0000	DK: 3,38 ±0,05; 0,52mm/17,5um x2 TC LoPro
Laminate	ROG	RO4350B 305x457mm	0	105,00	98,0000	DK: 3,48 ±0,05; 0,25mm/35um x2 ED
Laminate	ROG	RO4350B 305x457mm	0	74,00	69,0000	DK: 3,48 ±0,05; 0,76mm/35um x2 ED
Laminate	ROG	RO4350B 305x457mm 0100 (2007657)	1	105,00	98,2800	DK: 3,48 ±0,05; 0,25mm/17,5um x2 ED
Laminate	ROG	RO4350B 305x457mm 0200 (2007660)	2	84,00	84,0000	DK: 3,48 ±0,05; 0,51mm/17,5um x2 ED
Laminate	ROG	RO4350B 305x457mm 0300 (2007661)	1	102,00	102,0000	DK: 3,48 ±0,05; 0,76mm/17,5um x2 ED
Laminate	ROG	RO4360G2 305x457mm	0	129,00	120,0000	DK: 6,15 ±0,15; 0,81mm/35um x2 ED
Laminate	ROG	RT/d 5870NS 305x457mm 0100 (3111606)	1	291,00	282,0000	DK: 2,33 ±0,02; 0,25mm/17,5um x2 RL
Laminate	ROG	RT/d 5880 305x457mm 0200	1	300,00	300,0000	DK: 2,2; 0,51mm/17,5um x2 RL (2000)
Laminate	ROG	RT/d 5880NS 305x457mm	0	250,00	250,0000	DK: 2,2 ±0,02; 0,25mm/35um x2 RL
Laminate	ROG	RT/d 5880NS 305x457mm 0050 (3028438)	4	350,00	340,2000	DK: 2,2 ±0,02; 0,13mm/17,5um x2 RL
Laminate	ROG	RT/d 5880NS 305x457mm 0100 (3026949)	15	280,00	273,0000	DK: 2,2 ±0,02; 0,25mm/17,5um x2 RL
Laminate	ROG	RT/d 5880NS 305x457mm 0200 (3026951)	22	370,00	361,8000	DK: 2,2 ±0,02; 0,51mm/17,5um x2 RL
Laminate	ROG	RT/d 5880NS 305x457mm 0310 (3042203)	1	405,00	405,0000	DK: 2,2 ±0,02; 0,79mm/70um x2 RL
Laminate	ROG	RT/d 6002NS 305x457mm 0100 (2010623)	2	285,00	285,0000	DK: 2,94 ±0,04; 0,254mm/17,5um x2 RL
Laminate	ROG	RT/d 6035HTC 305x457mm 0100 (305369)	1	215,00	215,0000	DK: 3,50 ±0,05; 0,25mm/35um x2 ED
Laminate	ROG	RT/d 6035HTC 305x457mm 0200 (305370)	1	253,00	253,0000	DK: 3,50 ±0,05; 0,51mm/17,5um x2 ED
Laminate	ROG	RT/d 6035HTC 305x457mm 0300 (305366)	2	296,00	296,0000	DK: 3,50 ±0,05; 0,76mm/35um x2 ED
Laminate	ROG	RT6010.2LM 254x254mm	0	205,00	191,0000	DK: 10,178-10,317@10GHz; 0,635mm/17,5um x2
Laminate	ROG	RT6010.2LM 254x254mm	0	180,00	168,0000	DK: 10,178-10,317@10GHz; 0,635mm/35um x2
Laminate	ROG	RT6010.2LM 254x254mm	0	209,00	194,0000	DK: 10,2 ±0,25; 0,64mm/17,5um x2
Laminate	ROG	RT6010.2LMNS 254x254mm	0	193,00	180,0000	DK: 10,040-10,319@10GHz; 0,254mm/17,5um x2
Laminate	ROG	TMM10 305x457mm	1	950,00	950,0000	DK: 9,20 ±0,23; 1,524mm/35um x2 ED (2007)
LED	HP	HPWA-DL00	1	0,50	0,5000	
LED	HP	HPWA-MH00	1	0,50	0,5000	

LED	HP	HSMG-T400	27	0,30	0,2700	HIGH PERF. GREEN, SMD
LED	HP	HSMH-T400	27	0,30	0,2700	DH AS ALGaAs RED, SMD
LED	KNB	WP710A10ZGC	98	0,50	0,4000	LED GREEN 525nm 9000mcd CLEAR T-1 Ø3MM -40+85C
Memory	MCH	24C01CP	1	1,50	1,2000	1K 128x8 DIP-8 2-WIRE
Memory	MCH	93C86C-I/P	88	0,70	0,7000	IC SEEPROM 16K 5V 8DIP
Memory	CYP	CY7C132-35PC	7	11,99	11,9900	5V 2KX8 48-PIN DPSRAM - MASTER
Memory	RAM	FM24C256-SE	11	9,70	9,7000	NON-VOLATILE SRAM
Microcontroller	ATM	ATMEGA16A-PU	8	8,20	8,2000	IC MCU 8BIT 16KB FLASH 40DIP
Microcontroller	ATM	ATMEGA16L-8AU	2	10,00	10,0000	IC AVR MCU 16K 8MHZ 3V 44TQFP
Microcontroller	ATM	ATMEGA8515-16PI	1	8,85	8,8500	IC AVR MCU 8K 16MHZ IND 40-DIP
Microcontroller	AMD	ELANSC400-33AC	1	66,41	66,4100	E-86 Microcontr.; 486-Based PC/AT Compat.
Microcontroller	OXS	OX9160-TQC33-A (PLX~PC19052)	10	18,64	15,7000	PCI Bridge with EPP & 8/32 bit local bus, 160pin TQFP
Microcontroller	OXS	OXU200-LQAG	1	8,60	5,1600	Single-port, 16-bit, High-speed Periph USB contr, 100-LQFP
Microcontroller	OXS	OXU210HP-LQBG	1	16,00	9,5600	2-port, 16/32-bit, High-sp. Host, Periph., OTG USB contr.
Microcontroller	OXS	OXUSB954-LQ-A	1	16,00	16,0000	USB2.0 to Four Channel Serial Bridge, 100pin LQFP
Microcontroller	PHS	P89C58UBPN	100	6,72	6,5000	80C51-family, 32K x 8 FLASH 33MHZ 5V 0-70C DIP40
Microcontroller	MCH	PIC12C671-04/SM-LF	10	3,20	3,2000	IC MCU OTP 1KX14 A/D 8SOIC
Microcontroller	MCH	PIC17C43-16/P	10	11,37	11,3700	40PIN 8KB OTP454 RAM 33 IO
Microcontroller	MCH	PIC17C43-16I/P	4	15,66	15,6600	8-BIT, OTPROM, 16 MHz, RISC MCC, PDIP40
Microcontroller	MCH	PIC18F8720-I/PT	6	17,30	17,3000	IC MCU FLASH 65KX16 EE 80TQFP
Mixer	HTT	HMC292LC3B	6	51,37	48,5180	GaAs MMIC Fundamental MIXER, 16 - 30 GHz, SMT
Mixer	HTT	HMC296MS8	13	4,94	4,8600	LOW LO DR DOU/BAL FET MIX, 1.1 - 1.7 GHz
Mixer	HTT	HMC410AMS8GE	8	15,20	14,9000	High IP3 DBL-BAL Mixer SMT, 9 - 15 GHz
Mixer	HTT	HMC488MS8GE	5	11,30	10,8000	DBL-BAL Mixer SMT w/LO Amplifier, 4 - 7 GHz
Mixer	HTT	HMC526LC4	8	38,80	35,8600	SMT GaAs MMIC I/Q Mixer / IRM, 6 - 10 GHz
Mixer	MIN	MCA1-12G+	6	22,00	20,0000	Frequency Mixer WIDE BAND
Mixer	REM	MM98MS-6	4	600,00	600,0000	Ultra-Broadband Mixer; 2.0-19.0 GHz
Mixer	MET	MSPD1012-E50	7	35,00	35,0000	Sampling Phase Detector (SPD) Module
Mixer	NXP	SA612AD/01,112	1	1,50	1,5000	IC MIXER 500MHZ UP CONVRT 8SO
Module GPS	ORC	GPS20SBB	1	30,00	30,0000	GPS OEM MODULE, NMEA9600; -40...+85C 3.15-5.5V
Module WiFi	AIT	ESP8266MOD	1	3,50	3,5000	ESP-12F WiFi Module ISM 2,4GHz PA +25dBm 802.11b/g/n
MOSFET	ONS	MMSF3300R2	4	2,50	2,0000	PWR FET,30V,12.5 MOHMS
MOSFET	ONS	VN2406L	1893	0,47	0,4100	POWER MOSFET; TO-92 240V 6.0R
Oscillator VCO	SIR	VCO190-1100T	4	40,00	40,0000	VCO 1,085-1,115GHZ; PH. NOISE-131 dBc/Hz; 1-4,5V
PFC	STM	L4981A	13	2,50	1,0000	3KW PFC CTRLR
PFC	LTC	LT1249CS8	25	9,00	9,0000	IC POWER FACTOR CONTROLLER SO8
Power Supply	MNW	LPV-60-12	9	8,50	8,3000	AC/DC 60W 12V 5A, IP67
Processor Video	PHS	SAA7111AHZBD	2	23,07	23,0700	VIDEO INPUT PROCESSOR
Quartz Crystal	CREC	2.457600 MHz HC49U	10	0,20	0,2000	2.457600 MHz Crystal HC49U
Quartz Crystal	ACT	AF00003GZMXOFL-PF	5	0,50	0,5000	31.250 KHz SMX4 ±20ppm -40+85C 12.5pF FUND RoHS
Quartz Crystal	ACT	AF00038GZMXOFL-PF	52	0,80	0,5000	38.000 KHz ACT250 SMX ±20ppm -40+85C 12.5pF FUND
Quartz Crystal	ACT	CSA309 7.680MAJB-UB	1	0,95	0,9500	7.68 MHz ±50/30ppm -10+60C 18pF FUND
Quartz Crystal	ACT	DA0600IQGROFL-PF	50	3,75	2,5000	6.00 MHz ACT225SMX ±30/60ppm -20+70C 16pF FUND
Quartz Crystal	ACT	GO0184IOEDAFL-PF	100	0,70	0,6000	1.8432 MHz HC49/U ±30/50ppm -10+60 30pF FUND RoHS
Quartz Crystal	ACT	JO0368IOEEAFL-PF	500	0,23	0,2210	3.6864 MHz HC49/US ±30/50ppm -10+60C 32pF FU RoHS
Quartz Crystal	ACT	JO0800EFGDAFL-PF	200	0,38	0,3300	8.00 MHz HC49/US ±10/10ppm -20+70C 30pF FU RoHS
Quartz Crystal	ACT	JO1431IOEDAFL-PF	4	0,35	0,2800	14.31818 MHz HC49/US ±30/50ppm -10+60C 30pF FU RoHS
Quartz Crystal	ACT	JO2457IOEDAFL-PF	13	0,27	0,2200	24.576 MHz HC49/US ±30/50ppm -10+60C 30pF FU RoHS

Quartz Crystal	ACT	JO2457IOGDAAL-PF	1	0,50	0,5000	24.576 MHz HC49/US ±30/50ppm -20+70C 30pF 3rdOT
Quartz Crystal	ACT	JO2863IOEDAAL	1967	0,40	0,3500	28.63636 MHz HC49/US ±30/50ppm -10+60C 30pF 3rdOT
Quartz Crystal	ACT	JO4000IOEDAFL-PF	200	0,50	0,3500	40.00 MHz HC49/US ±30/50ppm -10+60C 30pF FU RoHS
Quartz Crystal	ACT	KO1667IOMDAFL-PF	120	0,80	0,5000	16.67 MHz HC49/US ±30/50ppm -40+85C 30pF FU RoHS
Quartz Crystal	ACT	MO10000EFHVOAL-PF	2	3,00	2,0000	100.00 Mhz UM1 ±10/10ppm -20+85C 20pF 3rdOT RoHS
Quartz Crystal	ACT	MO1260EFHVOFL-PF	15	3,00	2,0000	12.60 MHz UM1 ±10/10ppm -20+85C 20pF FUND RoHS
Quartz Crystal	ACT	MO1290EFHVOFL-PF	15	2,25	1,5000	12.90 MHz UM1 ±10/10ppm -20+85C 20pF FUND RoHS
Quartz Crystal	ACT	MO1600EFHVOFL-PF	15	3,00	2,0000	16.00 MHz UM1 ±10/10ppm -20+85C 20pF FUND RoHS
Quartz Crystal	ACT	OK00003DZL-PF	100	0,60	0,4800	32.768 kHz ACT200 ±20ppm -40+85 12.5pF FU RoHS
Quartz Crystal	ACT	PE00003GBNL-PF	2	0,28	0,2300	32.768 kHz ACT2X6 ±20ppm -10+60 6pF RoHS
Quartz Crystal	ACT	PE00003GINL-PF	3	0,28	0,2300	32.768 kHz ACT2X6 ±20ppm -40+85 6pF RoHS
Quartz Oscillator	CRS	CCHD-950-25-80.000	19	40,00	39,3000	XO Oscillators 80MHz LOW PHASE 9x14mm SMD 3.3V
Quartz Oscillator	ACT	CL1024BAESJP-PF	1	2,00	1,9000	10.24 MHz DIL ±50ppm 5V 0+70C 40/60% UNI TRI RoHS
Quartz Oscillator	ACT	CL2000BBESJP	5	2,73	2,7300	20.00 MHz ±50ppm 3.3V 0+70C 40/60% UNI TRI
Quartz Oscillator	MAX	DS32KHZNDIP	4	18,50	18,5000	OSC TCXO 32.768KHZ CMOS PC PIN
Quartz Oscillator	C-MAC	IQXO-22IB (SPXO17439)	8	11,20	10,0900	40.00 MHz ±50ppm 5V -40+85C 45/55% NON TRIS
Quartz Oscillator	ACT	RV1000BBCHJPL-PF	10	2,00	1,9000	10.00 MHz ±50ppm 3.3V -10+70C 45/55% UNI TRI OUT En.
Quartz Oscillator	ACT	RV2457BBCHJPC-PF	555	2,40	2,1600	24.576 MHz ±50ppm 3.3V -10+70C 45/55% UNI TRI OUT En.
Quartz Oscillator	ACT	RV2500BBCHJPC-PF	100	2,00	1,9000	25.00 MHz ±50ppm 3.3V -10+70C 45/55% UNI TRI OUT En.
Quartz Oscillator	ACT	RV3027CABHJPL-PF	8	1,00	1,0000	30.273437 MHz ±25ppm 5V -20+70C 45/55% UNI OUT En.
Quartz Oscillator	ACT	RV3276BBCHJPL-PF	15	1,80	1,4500	32.768 MHz ±50ppm 3.3V -10+70C 45/55% UNI OUT En.
Quartz Oscillator	ACT	RV4000BBCHJPL-PF	20	3,84	3,1800	40.00 MHz ±50ppm 3.3V -10+70C 45/55% UNI OUT En.
Quartz Oscillator	ACT	V1638CAESJN	10	2,58	2,5800	16.384 MHz ±25ppm 5V 0+70C 40/60% UNI NON TRIS
Quartz Oscillator	ACT	V2600BAESJN	5	2,33	1,8200	26.00 MHz ±50ppm 5V 0+70C 40/60% UNI NON TRIS
Quartz Oscillator	ACT	V3200BBESJN-PF	300	1,50	1,4000	32.00 MHz ±50ppm 3.3V 0+70C 40/60% UNI NON TRIS
Quartz Oscillator TCXO	ACT	T32-9216EBCIEDXHL-PF	30	38,70	38,7000	92.16 MHz TCXO ±10ppm 3,3V -10+70C HCMOS +/-5ppm Tuning via pot
Quartz Oscillator TCXO	ACT	T69-1000LAWIGBXZL	7	18,00	18,0000	10.00 MHz TCXO ±3ppm 5V -30+75C Int Pout SINE
Quartz Oscillator VCXO	ACT	V59-18432BBEELBPSL-PF	5	45,00	45,0000	184.32 MHz VCXO ±50ppm 3,3V -0+70C ±10% LVPECL ±100pul Positive
Regulator Voltage	STM	L78M05ACDT	28	0,60	0,4300	IC REGULATOR PREC 500MA 5V DPAK
Regulator Voltage	STM	LD1117S33TR	2	1,00	0,8500	Low Drop POS Volt Reg 3.3V 0.8A, SOT-223
Regulator Voltage	NSC	LM2937ES-3.3	5	3,00	2,7700	IC REGULATOR LDO TO-263
Regulator Voltage	NSC	LM2940IMP-5.0/NOPB	23	2,50	2,0000	IC 5V 1A LDO VREG SOT223
Regulator Voltage	FSC	LM7805CT	40	0,50	0,4500	IC REG 1A POS 0-125DEG C TO-220
Regulator Voltage	NSC	LM78S40CN	20	1,30	1,2600	SWITCHING REGULATOR
Regulator Voltage	NSC	LP2981AIM5-3.3	16	0,86	0,7700	IC REG LDO MICROPOWER SOT23-5
Regulator Voltage	ONS	MC33470DW	2	3,00	2,8000	ANA SYNC REC DC/DC CNTR
Regulator Voltage	ONS	MC78M09BDT	1	0,80	0,5000	Positive Volt Reg, 9V, 500 mA, -40~125°C, DPAK-3
Regulator Voltage	FSC	MC78T05CT	15	1,40	1,2800	REGULATOR POS 5V 3A 4%, 0~125°C, TO220
Regulator Voltage	FSC	MC7905CT	23	0,60	0,5400	IC REG -5V 1A 4%, 0~125°C, TO220
Regulator Voltage	ONS	MC79M12BTG	20	1,20	1,0700	IC REG NEG VLT 500MA 12V, -40~125°C, TO220AB
Regulator Voltage	PHS	SA57004-18GW	50	2,52	2,4000	Low-noise 150 mA linear CMOS regulator
Regulator Voltage	PHS	SA57004-28GW	800	1,62	1,5600	Low-noise 150 mA linear CMOS regulator
Regulator Voltage	PHS	TDA3664AT/N1	3	2,00	2,0000	LDO REGULATOR
Regulator Voltage	INF	TLE4264G	3	1,70	1,7000	LOW DROP VOL TYPE
Regulator Voltage	TI	UCC3810DW	10	6,30	5,6600	IC 2-CH SYNC I MODE PWM 16-SOIC
Relay	FUJ	FTR-K1AK012T	1	3,50	3,5000	General Purpose Relay POWER SPST
Relay	FUJ	FTR-K2AK012T	1	2,50	2,5000	General Purpose Relay POWER SPST
Resistor	CAD	MP915-0.10-1%	0	4,50	4,5000	Thick Film Pow Res (Non-SMD), TO-126 0.1 Ω 1% 15W

Resistor	VIS	RN55D1005FB14	200	1,00	0,9000	Metal Film Resistors (Through Hole) 1/8watt 10MΩ 1% 100ppm
Resistor	VIS	SFR16S0005111FR500	2000	0,05	0,0300	RES 5.11K OHM 1/2W 1% AXIAL
Resistor/Potentiometer	TKN	FVR50W-100R	1	42,50	42,5000	shaft; single turn; 100Ω; 50W; ±10%; 6mm; wirewound
Resistor/Potentiometer	BURN	PVG5A105C03R00	1	3,50	3,5000	TRIMMER 1M OHM 0.25W J LEAD TOP
RFID Antenna	TI	RI-ANT-G01E-30	8	450,00	450,0000	RFID GATE ANT MEDIUM 134.2KHZ
RFID Reader	TI	RI-STU-251B-30	4	1350,00	1350,0000	RFID 2000 RDR 134.2K 232/422/485
RFID Tag	TI	RI-TRP-R9TD-30	100	33,00	33,0000	RFID 120MM CYL TRANSP R/O 64BIT
Sensor	DAL	DS1821	61	3,90	3,9000	IC THERMOMETER/STAT PROG 3-PR35, 2.7~5.5V; 3-SIP
Sensor	SNS	SHT75	2	46,00	45,0000	Humidity & Temperature Sensor
Splitter/Combiner	MIN	GP2X1+	13	2,70	2,5500	Power Splitter/Combiner, 2 Way-0°, 50Ω 2800 - 7200 MHz
Splitter/Combiner	MIN	TCP-2-10+	9	17,96	17,0000	Power Splitter/Combiner, 2 Way-0°, 50Ω, 5 - 1000 MHz
Suppressor	ONS	P6KE7.5CA	95	0,37	0,3100	ZEN SUR40 TVS CLP 7.5V
Suppressor	ONS	P6KE75A	93	0,25	0,2100	ZEN SUR40 TVS 600W 75V
Switch	RDL	R570442000	2	230,00	222,0000	SPDT SMA 18GHZ BI 12V CA
Switch Piano	GRH	76HPSB06GW	2	3,60	3,6000	SWITCH DIP PIANO STYLE 6POS SMD
Switch Reed	MDR	KSK-1A04-1015	7	6,50	6,5000	MAGNETIC SWITCH REED 60V 1W AXL
Switch Rotary	GRH	94HAB08RA	1	3,40	3,4000	SWITCH OCTAL ROTARY DIP RT ANG
Tool	HAN	HT-5333D3	1	19,00	19,0000	Клещи угловые с трещоткой (кримпер); обжим RG-213-6-8-59
Transceiver	PHS	SCN68681C1A44	6	9,88	7,9000	Dual asynchronous receiver/transmitter
Transceiver Infrared	VIS	TFDU4201-TR1	478	4,20	3,9000	Infrared Transceiver Low Power
Transceiver RF	RFM	TR3002	2	17,00	15,0000	418 MHz RF Transceiver
Transformer	M/A-COM	MABA-011031	5	2,50	2,2000	Transformer; 1:1 5-1200 MHz
Transformer	PUL	PE-65865	20	2,50	2,2000	Transformer; 1:1.15CT & 1CT:2CT; Prim. Ind. 1.20&1.20
Transformer RF	MIN	TC1-1-43+	8	3,50	3,4000	650-4000 MHz, SMD RF Transformer, 50 Ω
Transformer RF	MIN	TC2-112G2+	18	5,00	4,7500	2-1100 MHz, SMD RF Transformer, 50 Ω
Transistor	ONS	2N3906	100	0,03	0,0236	SS T092 GP XSTR PNP 40V
Transistor	PHS	BC337-40/RA	1246	0,04	0,0285	BULKSL TSS-LF SOT54
Transistor	PHS	BCP52-16/T1	17	0,30	0,2400	TRANS MED PWR TAPE-7, SOT223, R75, PBF
Transistor	PHS	BFR93A	681	0,27	0,2500	TRANS NPN 35MA 12V 6GHZ SOT23
Transistor	STM	D45H11	40	0,58	0,5800	PNP TRAN 80V 10A
Transistor	ONS	MMBT2484LT1G	5	0,50	0,3000	TRANS GP SS NPN 60V SOT23
Transistor	MOT	MPQ2222	14	0,79	0,7400	NPN-GP AMP-QUAD; DIP
Transistor	FSC	MPSA13	1	0,42	0,4200	TRANSISTOR NPN SS DARL 5K TO-92
Transistor	FSC	NDS331N	250	0,30	0,2500	MOSFET N-CH 20V 1.3A SSOT3
Transistor RF	EXC	EPA018A	100	8,00	7,0000	High Efficiency Heterojunction Power FET, DIE
Transistor RF	EXC	EPA018A-70	78	6,00	5,6000	High Efficiency Heterojunction Power FET, packaged
Transistor RF	EXC	EPA1200A	15	80,00	75,0000	High Efficiency Heterojunction Power FET, DIE
Transistor RF	EXC	EPA240D	23	26,00	24,0000	High Efficiency Heterojunction Power FET, DIE
Transistor RF	HP	HBFP-0405-BLK	20	1,50	1,0000	ISOL COL BIPOLAR TRANS; 1.8 GHz; SOT-343
Transistor RF	HP	HBFP-0420-BLK	20	1,50	1,0000	ISOL COL BIPOLAR TRANS; 1.8 GHz; SOT-343
Transistor RF	MIT	MGF0910A-11	0	92,50	92,5000	GaAs FET, P1dB~38dBm, GLP~11dB@2.3GHz, FlanPack
Transistor RF	MIT	MGF0911A-11	0	95,00	95,0000	GaAs FET, P1dB~41dBm, GLP~11dB@2.3GHz, FlanPack
Transistor RF	MIT	MGF2415A-11	6	56,00	56,0000	GaAs FET, P1dB~26dBm, GLP~6.5dB@14.5GHz, FlanPack
Transistor RF	MIT	MGF4941AL-01	60	2,00	1,5000	SLN InGaAs HEMT @12GHz: NF=0,35dB G=13,5dB
Transistor RF	MIT	MGF4961B-01	3691	2,50	2,0000	SLN InGaAs HEMT @20GHz: NF=0,7dB G=13,5dB
Transistor RF	MIT	MGFC36V5964A	2	200,00	200,0000	5.9~6.4GHz BAND 4W INTERNALLY MATCHED GaAs FET
Transistor RF	MIT	MGFC39V3742A-01	1	420,00	420,0000	3.7~4.2GHz BAND 8W INTERNALLY MATCHED GaAs FET
Transistor RF	MIT	MGFC39V5964A	6	300,00	300,0000	5.9~6.4GHz BAND 8W INTERNALLY MATCHED GaAs FET

Transistor RF	MIT	MGFC42V5964-01	6	350,00	350,0000	5.9~6.4GHz BAND 16W INTERNALLY MATCHED GaAs FET
Transistor RF	MIT	MGFK35V4045	8	350,00	350,0000	14.0~14.5GHz BAND 3.5W INTERNALLY MATCHED GaAs FET
Transistor RF	MIT	MGFK37V4045	4	400,00	400,0000	14.0~14.5GHz BAND 5W INTERNALLY MATCHED GaAs FET
Transistor RF	SIR	SHF-0186	8	24,99	20,4600	DC-12 GHz, 0.5 Watt AlGaAs/GaAs HFET
Transistor RF	SIR	SPF-2086TK	15	8,00	6,5500	DC-6000 MHz pHEMT Low Noise Transistor
Transistor RF	SIR	SXA-289	3	9,17	7,5100	GaAs HBT IF TRANSISTOR
Transistor RF	TC	TC1201	497	5,00	5,0000	12GHz NF0,5dB P-1 21,5dBm; Gain 12 dB SLN GaAs FET, DIE
Transistor RF	TC	TC2181	315	4,00	3,6000	12GHz NF0,5dB P-1 18,5dBm; Gain 12dB GaAs FET MicroX-Cer
Transistor RF	TC	TC2201	492	1,60	1,5000	12GHz NF1,5dB P-1 21,5dBm; Gain 7dB GaAs FET MicroX-Plast
Transistor RF	TC	TC2212	2	1,20	1,2000	12GHz NF1,5dB P-1 21,5dBm Gain 6,5dB GaAs FET SOT143
Transistor RF	TC	TC2281	370	4,65	4,2000	12GHz NF0,5dB P-1 21,5dBm; Gain 12dB GaAs FET MicroX-Cer
Transistor RF	TC	TC2282	80	6,10	5,5000	12GHz NF0,5dB; Gain 12dB GaAs FET MicroX-Cer
Transistor RF	TC	TC2381	145	7,00	6,4000	12GHz NF0,9dB P-1 24,5dBm; Gain 9dB GaAs FET MicroX-Cer
Transistor RF	TC	TC2384	6	7,00	6,4000	12GHz NF0,9dB P-1 24,5dBm; Gain 9dB GaAs FET MicroX-Cer
Transistor RF	TC	TC2471	14	18,00	16,2000	6GHz P-1 27dBm; GainLin 14dB GaAs PWR FET SMT-Cer
Transistor RF	TC	TC2481	4	7,60	7,6000	6GHz P-1 27dBm; GainLin 11dB GaAs PWR FET MicroX-Cer
Transistor RF	TC	TC2571	2	25,00	22,0000	6GHz P-1 30dBm; GainLin 11dB GaAs PWR FET SMT-Cer
Transistor RF	TC	TC2591	13	48,00	43,5000	0.1-12 GHz; 6GHz P-1 30dBm; GainLin 12dB GaAs PWR FET Flange-Cer
Transistor RF	TC	TC2696	3	50,00	45,0000	0.1-12 GHz; 6GHz P-1 33dBm; GainLin 10dB GaAs PWR FET Flange-Cer
Transistor RF	TC	TC2876	32	44,40	40,0000	6GHz P-1 36,5dBm; GainLin 7dB GaAs PWR FET SMT-Cer
Transistor RF	TC	TC2896	0	55,00	51,5000	6GHz P-1 36,5dBm; GainLin 8 dB GaAs PWR FET Flange-Cer